

## Technical Data Sheet (TDS)

### WFR-Kit

Demo Kit for WFR-930

#### Special features

- ▣ Requires 1 gallon pail of WFR-930



## General Features

- ❑ Contains no isocyanates
- ❑ Contains no water
- ❑ Contains no chlorinated solvents
- ❑ Flammable
- ❑ Ozone friendly
- ❑ Alcohol base for performance
- ❑ Freeze/thaw stable

## Installation Features

- ❑ Wet lay - no flash time required
- ❑ Superior green grab
- ❑ Non-slump formula
- ❑ Bridges normal sub floor variations
- ❑ Eliminates hollow spots
- ❑ Pleasant odor
- ❑ Cleans with acetone
- ❑ No rolling required
- ❑ High spread rate
- ❑ Spreads easily
- ❑ Dries quickly

## Long Term Features

- ❑ Resistant against aging
- ❑ Remains elastic
- ❑ Suitable for radiant heat systems with primer

## Approved Flooring

- ❑ Engineered Wood Flooring
- ❑ Strip Flooring, 1/2 - 3/4 in
- ❑ Shorts, 1/2 - 3/4 in
- ❑ Planks, 1/2 - 3/4 in, up to 3 x 36 in
- ❑ Parquet
- ❑ Solid Wood Flooring must be straight and flat
- ❑ Bamboo or Eucalyptus NOT approved

## Approved Subfloors

- ❑ Concrete Slabs
- ❑ OSB (underlayment grade)
- ❑ Plywood (underlayment grade)
- ❑ Cured Leveling Compounds
- ❑ Radiant Heated Subfloors

## Approved Primers

- ❑ STAUF SOP-230 Solva-Prime

## Approved Sealers

- ❑ STAUF ACS-210 True-Seal

## Approved Leveling Compounds

- ❑ STAUF SLC-540 Self Leveling Compound
- ❑ STAUF QFF-560 Quick Feather Float

## Approved Trowels and Spread Rate

- ❑ Engineered Floors-#5 (3/16 x 1/4 x 3/8 in) up to 60 SF/gal.
- ❑ Solid Floors-#4 (1/4 x 7/32 x 9/32 in) up to 50 SF/gal.
- ❑ Parquet-#3 (5/32 x 1/8 x 3/16 in) up to 70 SF/gal.

## Clean-Up

- ❑ Use acetone while wet or dried
- ❑ Will not etch floor finish

## Temperature Range during Installation

- ❑ 50-90F (10-32C)

## Relative Humidity Range during Installation

- ❑ 30% - 80%

## Packaging Size

- ❑ Single Unit

## Storage

- ❑ Dry

## Shelf Life

- ❑ 24 Months in original, unopened container

Open Time	30% R/H	50% R/H	80% R/H
50 F / 10 C	25 min.	35 min.	40 min.
70 F / 21 C	23 min.	30 min.	35 min.
90 F / 32 C	20 min.	25 min.	30 min.