

Page 1/9

# Safety Data Sheet

acc. to OSHA HCS

Printing date 03/21/2018

Reviewed on 02/12/2018

### **1** Identification


- Product identifier
- · Trade name: BCS-827
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: STAUF USA, LLC. 11121 Hwy 70 Ste 102 ARLINGTON, TN 38002
- +1 (866) 458-3872 • Emergency telephone number: CHEMTREC USA +1 (800) 424-9300 & INTERNATIONAL +1 (703) 527-3887

# 2 Hazard(s) identification

#### · Classification of the substance or mixture



GHS08 Health hazard





Skin Sens. 1 H317 May cause an allergic skin reaction.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms



· Signal word Warning

Hazard-determining components of labeling: 1,2-benzisothiazol-3(2H)-one ethyl acrylate
Hazard statements May cause an allergic skin reaction. Suspected of causing cancer.
Precautionary statements Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Avoid breathing dust/fume/gas/mist/vapors/spray

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection.

Printing date 03/21/2018

Reviewed on 02/12/2018

### Trade name: BCS-827

If on skin: Wash with plenty of water. IF exposed or concerned: Get medical advice/attention. Specific treatment (see on this label). If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse. Store locked up. Dispose of contents/container in accordance with local/regional/national/international r • Classification system: • NFPA ratings (scale 0 - 4)	(Contd. of page 1) regulations.
Health = 0 Fire = 0 Reactivity = 0	
· HMIS-ratings (scale 0 - 4)	
HEALTHImage: DescriptionHealth = 0FIREImage: DescriptionFire = 0ReactivityReactivity = 0	
<ul> <li>Other hazards</li> <li>Results of PBT and vPvB assessment</li> <li>PBT: Not applicable.</li> <li>vPvB: Not applicable.</li> </ul>	

# 3 Composition/information on ingredients

· Chemical characterization: Mixtures

• **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous co	mponents
----------------	----------

Dangerous components.		
1332-58-7	Kaolin	43.29%
471-34-1	calcium carbonate	3.11%
140-88-5	ethyl acrylate	0.824%
2634-33-5	1,2-benzisothiazol-3(2H)-one	0.078%

# 4 First-aid measures

### Description of first aid measures

· After inhalation:

Supply fresh air and to be sure call for a doctor.

- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

(Contd. on page 3)

Printing date 03/21/2018

Reviewed on 02/12/2018

Trade name: BCS-827

(Contd. of page 2)

### 5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- Protective Action Criteria for Chemicals

· PAC-1:		
64742-52-5	Distillates (petroleum), hydrotreated heavy naphthenic	140 mg/m <sup>3</sup>
471-34-1 calcium carbonate		45 mg/m³
140-88-5	ethyl acrylate	8.3 ppm
57-13-6	urea	30 mg/m <sup>3</sup>
141-43-5	141-43-5 2-aminoethanol	
· PAC-2:		
64742-52-5	Distillates (petroleum), hydrotreated heavy naphthenic	1,500 mg/m <sup>3</sup>
471-34-1	calcium carbonate	210 mg/m <sup>3</sup>
140-88-5	ethyl acrylate	36 ppm
57-13-6	urea	280 mg/m <sup>3</sup>
141-43-5	43-5 2-aminoethanol	
· PAC-3:		
64742-52-5	Distillates (petroleum), hydrotreated heavy naphthenic	8,900 mg/m <sup>3</sup>
471-34-1	calcium carbonate	1,300 mg/m <sup>3</sup>
140-88-5	ethyl acrylate	240 ppm
57-13-6	urea	1,700 mg/m <sup>3</sup>
141-43-5	2-aminoethanol	1,000 ppm

# 7 Handling and storage

- · Handling:
- · Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.

(Contd. on page 4)

US

Printing date 03/21/2018

Reviewed on 02/12/2018

Trade name: BCS-827

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- Specific end use(s) No further relevant information available.

# 8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

· Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

At this time, the other constituents have no known exposure limits.

### 1332-58-7 Kaolin

PEL Long-term value: 15\* 5\*\* mg/m<sup>3</sup> \*total dust \*\*respirable fraction REL Long-term value: 10\* 5\*\* mg/m<sup>3</sup> \*total dust \*\*respirable fraction

TLV Long-term value: 2\* mg/m<sup>3</sup> E; as respirable fraction

#### 471-34-1 calcium carbonate

- PEL Long-term value: 15\* 5\*\* mg/m<sup>3</sup> \*total dust \*\*respirable fraction
- REL Long-term value: 10\* 5\*\* mg/m<sup>3</sup> \*total dust \*\*respirable fraction
- TLV TLV withdrawn

### 140-88-5 ethyl acrylate

- PEL Long-term value: 100 mg/m³, 25 ppm Skin
- REL See Pocket Guide App. A
- TLV Short-term value: 61 mg/m<sup>3</sup>, 15 ppm Long-term value: 20 mg/m<sup>3</sup>, 5 ppm

• Additional information: The lists that were valid during the creation were used as basis.

#### · Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Breathing equipment: Not required.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Contd. on page 5)

(Contd. of page 3)

<sup>·</sup> Control parameters

Printing date 03/21/2018

Reviewed on 02/12/2018

### Trade name: BCS-827

(Contd. of page 4)

US

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

# · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Goggles recommended during refilling.

Information on basic physical and	chemical properties
General Information Appearance:	
Form:	Fluid
Color:	According to product specification
Odor:	Characteristic
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
Flash point:	Not applicable.
Flammability (solid, gaseous):	Not applicable.
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure:	Not determined.
Density:	Not determined.
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wa	ter): Not determined.
Viscosity:	
Dynamic:	Not determined.

US

# Safety Data Sheet acc. to OSHA HCS

Printing date 03/21/2018

Reviewed on 02/12/2018

Trade name: BCS-827

	(0	Contd. of page 5
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	0.4 %	
Water:	16.1 %	
VOC content:	0.35 %	
	3.5 g/l / 0.03 lb/gl	
• Other information	No further relevant information available.	

# 10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

# 11 Toxicological information

· Information on toxicological effects

#### · Acute toxicity:

### 471-34-1 calcium carbonate

Oral LD50 6,450 mg/kg (rat)

#### 140-88-5 ethyl acrylate

Oral	LD50	800 mg/kg (rat)
_		

Dermal LD50 1,834 mg/kg (rabbit)

Inhalative LC50/4 h 2,180 mg/l (rat)

## · Primary irritant effect:

- on the skin: No irritant effect.
- · on the eye: No irritating effect.
- Sensitization: Sensitization possible through skin contact.

### Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

#### · Carcinogenic categories

<ul> <li>IARC (International Agency for Research on Cancer)</li> </ul>	
140-88-5 ethyl acrylate	2B
· NTP (National Toxicology Program)	
None of the ingredients is listed.	
	(Contd. on page 7)

Printing date 03/21/2018

Reviewed on 02/12/2018

Trade name: BCS-827

(Contd. of page 6)

US

### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

# **12 Ecological information**

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

# **13 Disposal considerations**

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.

# **14 Transport information**

· UN-Number · DOT, ADN, IMDG, IATA	not regulated	
<ul> <li>UN proper shipping name</li> <li>DOT, ADN, IMDG, IATA</li> </ul>	not regulated	
· Transport hazard class(es)		
· DOT, ADN, IMDG, IATA · Class	not regulated	
· Packing group · DOT, IMDG, IATA	not regulated	
· Environmental hazards:	Not applicable.	
· Special precautions for user	Not applicable.	
<ul> <li>Transport in bulk according to Annex MARPOL73/78 and the IBC Code</li> </ul>	II of Not applicable.	
		(Contd. on page

(Contd. of page 7)

# Safety Data Sheet acc. to OSHA HCS

Printing date 03/21/2018

Reviewed on 02/12/2018

Trade name: BCS-827

· UN "Model Regulation":

not regulated

# 15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

• TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65

· Chemicals known to cause cancer:

140-88-5 ethyl acrylate

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

• Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

57-13-6 urea

· TLV (Threshold Limit Value established by ACGIH)

1332-58-7 Kaolin

140-88-5 ethyl acrylate

· NIOSH-Ca (National Institute for Occupational Safety and Health)

140-88-5 ethyl acrylate

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms



· Signal word Warning

• **Hazard-determining components of labeling:** 1,2-benzisothiazol-3(2H)-one ethyl acrylate

• Hazard statements May cause an allergic skin reaction. Suspected of causing cancer.

Precautionary statements
Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Avoid breathing dust/fume/gas/mist/vapors/spray
Contaminated work clothing must not be allowed out of the workplace.
Wear protective gloves/protective clothing/eye protection/face protection.

(Contd. on page 9)

Ш

A4

A4

<sup>-</sup> US

Printing date 03/21/2018

Reviewed on 02/12/2018

#### Trade name: BCS-827

(Contd. of page 8)

If on skin: Wash with plenty of water. IF exposed or concerned: Get medical advice/attention.

Specific treatment (see on this label).

If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Technical Department

· Contact: Technical Director

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Sens. 1: Skin sensitisation - Category 1 Carc. 2: Carcinogenicity - Category 2