

Page 1/10

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/22/2018

Reviewed on 03/22/2018

1 Identification


- Product identifier
- · Trade name: CBA-843
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: STAUF USA, LLC. 11121 Hwy 70 Ste 102 ARLINGTON, TN 38002
- +1 (866) 458-3872 • Emergency telephone number: CHEMTREC USA +1 (800) 424-9300 & INTERNATIONAL +1 (703) 527-3887

2 Hazard(s) identification

· Classification of the substance or mixture

GHS08 Health hazard

Carc. 2



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



· Signal word Warning

 Hazard-determining components of labeling: ethyl acrylate 1,2-benzisothiazol-3(2H)-one
 Hazard statements

Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. Suspected of causing cancer.

(Contd. on page 2)

⁻ US

Printing date 03/22/2018

Reviewed on 03/22/2018

Trade name: CBA-843

	(Contd. of page 1)
· Precautionary statements	
Obtain special instructions before use.	
Do not handle until all safety precautions have been read and understood.	
Avoid breathing dust/fume/gas/mist/vapors/spray	
Wash thoroughly after handling.	
Contaminated work clothing must not be allowed out of the workplace.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If on skin: Wash with plenty of water.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if pre	esent and easy
to do. Continue rinsing.	,
IF exposed or concerned: Get medical advice/attention.	
Specific treatment (see on this label).	
If skin irritation or rash occurs: Get medical advice/attention.	
If eye irritation persists: Get medical advice/attention.	
Take off contaminated clothing and wash it before reuse.	
Wash contaminated clothing before reuse.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regu	ulations.
Classification system:	
· NFPA ratings (scale 0 - 4)	
Health = 2	
Fire = 0	
Reactivity = 0	
· HMIS-ratings (scale 0 - 4)	
HEALTH 2 Health = 2	
FIRE 0 Fire = 0	
REACTIVITY 0 Reactivity = 0	
· Other hazards	
 Results of PBT and vPvB assessment 	
· PBT: Not applicable.	
· vPvB: Not applicable.	
2 Composition / information on insuration to	

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
1332-58-7	Kaolin	34.04%
140-88-5	ethyl acrylate	2.49%
1336-21-6	ammonia	1.18%

4 First-aid measures

· Description of first aid measures

After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

• After skin contact: Immediately wash with water and soap and rinse thoroughly.

(Contd. on page 3)

US

(Contd. of page 2)

Safety Data Sheet acc. to OSHA HCS

Printing date 03/22/2018

Reviewed on 03/22/2018

Trade name: CBA-843

• After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Protective Action Criteria for Chemicals

PAC-1:		
140-88-5	ethyl acrylate	8.3 ppm
1336-21-6	ammonia	61 ppm
57-13-6	urea	30 mg/m
9016-45-9	nonylphenolethoxylates	43 mg/m
PAC-2:		
140-88-5	ethyl acrylate	36 ppm
1336-21-6	ammonia	330 ppm
57-13-6	urea	280 mg/m
9016-45-9	nonylphenolethoxylates	470 mg/m
PAC-3:		
140-88-5	ethyl acrylate	240 ppm
1336-21-6	ammonia	2,300 ppm
57-13-6	urea	1,700 mg/m
9016-45-9	nonylphenolethoxylates	5,400 mg/m

(Contd. on page 4)

(Contd. of page 3)

Safety Data Sheet acc. to OSHA HCS

Printing date 03/22/2018

Reviewed on 03/22/2018

Trade name: CBA-843

7 Handling and storage

- · Handling:
- **Precautions for safe handling** No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Com	ponents with limit values that require monitoring at the workplace:
1332	-58-7 Kaolin
PEL	Long-term value: 15* 5** mg/m³ *total dust **respirable fraction
REL	Long-term value: 10* 5** mg/m³ *total dust **respirable fraction
TLV	Long-term value: 2* mg/m³ E; as respirable fraction
140-8	38-5 ethyl acrylate
PEL	Long-term value: 100 mg/m³, 25 ppm Skin
REL	See Pocket Guide App. A
TLV	Short-term value: 61 mg/m³, 15 ppm Long-term value: 20 mg/m³, 5 ppm
· Addi	tional information: The lists that were valid during the creation were used as basis.
Pers Gene Keep Imme Wasl Avoid	onal protective equipment: eral protective and hygienic measures: a way from foodstuffs, beverages and feed. ediately remove all soiled and contaminated clothing. In hands before breaks and at the end of work. d contact with the eyes and skin. thing equipment: Not required. ection of hands:
MIS Lu	Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

(Contd. on page 5)

US

Printing date 03/22/2018

Reviewed on 03/22/2018

Trade name: CBA-843

(Contd. of page 4) Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• **Penetration time of glove material** The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

Appearance: Form:	Fluid
Color:	According to product specification
Odor:	Characteristic
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	100 °C (212 °F)
Flash point:	Not applicable.
Flammability (solid, gaseous):	Not applicable.
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
Density:	Not determined.
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.

Printing date 03/22/2018

Reviewed on 03/22/2018

Trade name: CBA-843

	(Contd. o	f page
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Water:	21.2 %	
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gl	
· Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral	LD50	32,129 mg/kg (rat)
Dermal	LD50	73,655 mg/kg (rabbit)
Inhalative	LC50/4 h	87,550 mg/l (rat)

140-88-5 ethyl acrylate

Oral	LD50	800 mg/kg (rat)
Dermal	LD50	1,834 mg/kg (rabbit)
Inhalative	LC50/4 h	2,180 mg/l (rat)

Primary irritant effect:

- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- Sensitization: Sensitization possible through skin contact.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

140-88-5 ethyl acrylate

(Contd. on page 7)

US -

(Contd. of page 6)

Safety Data Sheet acc. to OSHA HCS

Printing date 03/22/2018

Reviewed on 03/22/2018

Trade name: CBA-843

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · **Bioaccumulative potential** No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· Results of PBT and vPvB assessment

- · **PBT:** Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number		
DOT, ADN, IMDG, IATA	not regulated	
UN proper shipping name		
DOT, ADN, IMDG, IATA	not regulated	
Transport hazard class(es)		
DOT, ADN, IMDG, IATA		
Class	not regulated	
Packing group		
DOT, IMĎĠ, IATA	not regulated	
Environmental hazards:	Not applicable.	

Printing date 03/22/2018

Reviewed on 03/22/2018

Trade name: CBA-843

		(Contd. of page 7)
 Special precautions for user 	Not applicable.	
 Transport in bulk according to Annex MARPOL73/78 and the IBC Code 	c II of Not applicable.	
· UN "Model Regulation":	not regulated	

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

••••• , ,,,,,,		•
•	kic Substances Control Act):	
1332-58-7	Kaolin	
140-88-5	ethyl acrylate	
1336-21-6	ammonia	
57-13-6	urea	
	nonylphenolethoxylates	
	1,2-benzisothiazol-3(2H)-one	
	water, distilled, conductivity or of similar purity	
 TSCA new Proposition 	(21st Century Act) (Substances not listed) on 65	
· Chemicals	s known to cause cancer:	
140-88-5	ethyl acrylate	
Chemicals	known to cause reproductive toxicity for females:	
None of the	e ingredients is listed.	
· Chemicals	s known to cause reproductive toxicity for males:	
None of the	e ingredients is listed.	
· Chemicals	s known to cause developmental toxicity:	
None of the	e ingredients is listed.	
-	nic categories	
•	ronmental Protection Agency)	
57-13-6 ur	ea	II
· TLV (Thre	shold Limit Value established by ACGIH)	
1332-58-7	Kaolin	A4
140-88-5	ethyl acrylate	A4
· NIOSH-Ca	(National Institute for Occupational Safety and Health)	
	ethyl acrylate	
· GHS label The produc · Hazard pic	ct is classified and labeled according to the Globally Harmonized System (GHS).	



(Contd. on page 9)

Printing date 03/22/2018

Reviewed on 03/22/2018

Trade name: CBA-843

· Signal word Warning	
Hazard-determining components of labeling:	
ethyl acrylate	
1,2-benzisothiazol-3(2H)-one	
Hazard statements	
Causes skin irritation.	
Causes serious eye irritation.	
May cause an allergic skin reaction.	
Suspected of causing cancer.	
· Precautionary statements	
Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.	
Avoid breathing dust/fume/gas/mist/vapors/spray	
Wash thoroughly after handling.	
Contaminated work clothing must not be allowed out of the workplace.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If on skin: Wash with plenty of water.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy	
to do. Continue rinsing.	
IF exposed or concerned: Get medical advice/attention.	
Specific treatment (see on this label).	
If skin irritation or rash occurs: Get medical advice/attention.	
If eye irritation persists: Get medical advice/attention.	
Take off contaminated clothing and wash it before reuse.	
Wash contaminated clothing before reuse.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulations.	
· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	
	_

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Technical Department
- · Contact: Technical Director
- · Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL: Recommended Exposure Limit** Skin Irrit. 2: Skin corrosion/irritation - Category 2

(Contd. on page 10)

⁻ US

Printing date 03/22/2018

Reviewed on 03/22/2018

Trade name: CBA-843

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A Skin Sens. 1: Skin sensitisation – Category 1 Carc. 2: Carcinogenicity – Category 2 (Contd. of page 9)

us —