

Page 1/9

## Safety Data Sheet

acc. to OSHA HCS

Printing date 03/21/2018

Reviewed on 03/01/2018

#### **1** Identification


- Product identifier
- · Trade name: MPP-825
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: STAUF USA, LLC. 11121 Hwy 70 Ste 102 ARLINGTON, TN 38002
- +1 (866) 458-3872 • Emergency telephone number: CHEMTREC USA +1 (800) 424-9300 & INTERNATIONAL +1 (703) 527-3887

## 2 Hazard(s) identification

#### · Classification of the substance or mixture



GHS08 Health hazard





Skin Sens. 1 H317 May cause an allergic skin reaction.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms



· Signal word Warning

Hazard-determining components of labeling: 1,2-benzisothiazol-3(2H)-one ethyl acrylate
Hazard statements May cause an allergic skin reaction. Suspected of causing cancer.
Precautionary statements Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Avoid breathing dust/fume/gas/mist/vapors/spray

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection.

Printing date 03/21/2018

Reviewed on 03/01/2018

#### Trade name: MPP-825

|   | Contd. of page 1) |
|---|-------------------|
| If on skin: Wash with plenty of water.  |                   |
| IF exposed or concerned: Get medical advice/attention.<br>Specific treatment (see on this label). |                   |
| If skin irritation or rash occurs: Get medical advice/attention.                                  |                   |
| Wash contaminated clothing before reuse.  |                   |
| Store locked up.  |                   |
| Dispose of contents/container in accordance with local/regional/national/international regul      | lations.          |
| Classification system:  |                   |
| NFPA ratings (scale 0 - 4)  |                   |
| Health = 0  |                   |
| Fire = 1  |                   |
| <b>0</b> Reactivity = 0   |                   |
| · HMIS-ratings (scale 0 - 4)  |                   |
| HEALTH I Health = 0   |                   |
| FIRE 1 Fire = 1   |                   |
| Reactivity 0 Reactivity = 0   |                   |
|   |                   |
| <ul> <li>Other hazards</li> <li>Results of PBT and vPvB assessment</li> </ul>                     |                   |
| · <b>PBT:</b> Not applicable.   |                   |
| · vPvB: Not applicable.   |                   |
|   |                   |
| 2 Common sitis m/m forma ation on insure dianta   |                   |

## 3 Composition/information on ingredients

· Chemical characterization: Mixtures

• **Description:** Mixture of the substances listed below with nonhazardous additions.

| <ul> <li>Dangerous</li> </ul> | components: |
|-------------------------------|-------------|
|-------------------------------|-------------|

| 1332-58-7 Kaolin                       | 40.68% |
|--|--------|
| 471-34-1 calcium carbonate             | 5.3%   |
| 140-88-5 ethyl acrylate                | 0.7%   |
| 2634-33-5 1,2-benzisothiazol-3(2H)-one | 0.06%  |

## 4 First-aid measures

#### Description of first aid measures

· After inhalation:

Supply fresh air and to be sure call for a doctor.

- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

(Contd. on page 3)

Printing date 03/21/2018

Reviewed on 03/01/2018

Trade name: MPP-825

(Contd. of page 2)

#### 5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

#### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: No special measures required.
- **Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.
- Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- Protective Action Criteria for Chemicals

| Distillates (petroleum), hydrotreated heavy naphthenic | 140 mg/m <sup>3</sup>   |
|--|---|
| calcium carbonate                                      | 45 mg/m³  |
| ethyl acrylate   | 8.3 ppm   |
| urea   | 30 mg/m³  |
| 2-aminoethanol   | 6 ppm   |
|  |   |
| Distillates (petroleum), hydrotreated heavy naphthenic | 1,500 mg/m³   |
| calcium carbonate                                      | 210 mg/m <sup>3</sup>   |
| ethyl acrylate   | 36 ppm  |
| urea   | 280 mg/m <sup>3</sup>   |
| 2-aminoethanol   | 170 ppm   |
|  |   |
| Distillates (petroleum), hydrotreated heavy naphthenic | 8,900 mg/m <sup>3</sup>   |
| calcium carbonate                                      | 1,300 mg/m <sup>3</sup>   |
| ethyl acrylate   | 240 ppm   |
| urea   | 1,700 mg/m³   |
| 2-aminoethanol   | 1,000 ppm   |
|  | Distillates (petroleum), hydrotreated heavy naphthenic         calcium carbonate         ethyl acrylate         urea         2-aminoethanol         Distillates (petroleum), hydrotreated heavy naphthenic         calcium carbonate         ethyl acrylate         urea         2-aminoethanol         Distillates (petroleum), hydrotreated heavy naphthenic         calcium carbonate         ethyl acrylate         urea         2-aminoethanol         Distillates (petroleum), hydrotreated heavy naphthenic         calcium carbonate         ethyl acrylate         urea         2-aminoethanol         Distillates (petroleum), hydrotreated heavy naphthenic         calcium carbonate         ethyl acrylate         urea         2-aminoethanol |

## 7 Handling and storage

- · Handling:
- Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.

(Contd. on page 4)

Printing date 03/21/2018

Reviewed on 03/01/2018

Trade name: MPP-825

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

#### · Control parameters

| · Control parameters  |   |  |  |
|---|---|--|--|
| • Components with limit values that require monitoring at the workplace:  |   |  |  |
| 1332  | 1332-58-7 Kaolin  |  |  |
| PEL   | Long-term value: 15* 5** mg/m³<br>*total dust **respirable fraction                   |  |  |
| REL   | Long-term value: 10* 5** mg/m³<br>*total dust **respirable fraction                   |  |  |
| TLV   | Long-term value: 2* mg/m³<br>E; as respirable fraction                                |  |  |
| 471-:   | 34-1 calcium carbonate  |  |  |
| PEL   | Long-term value: 15* 5** mg/m³<br>*total dust **respirable fraction                   |  |  |
| REL   | Long-term value: 10* 5** mg/m³<br>*total dust **respirable fraction                   |  |  |
| TLV   | TLV withdrawn   |  |  |
| 140-  | 140-88-5 ethyl acrylate   |  |  |
| PEL   | Long-term value: 100 mg/m³, 25 ppm<br>Skin  |  |  |
| REL   | See Pocket Guide App. A   |  |  |
| TLV   | Short-term value: 61 mg/m³, 15 ppm<br>Long-term value: 20 mg/m³, 5 ppm                |  |  |
| · Addi  | tional information: The lists that were valid during the creation were used as basis. |  |  |
| <ul> <li>Exposure controls</li> <li>Personal protective equipment:</li> <li>General protective and hygienic measures:<br/>Keep away from foodstuffs, beverages and feed.<br/>Immediately remove all soiled and contaminated clothing.<br/>Wash hands before breaks and at the end of work.</li> <li>Breathing equipment: Not required.</li> <li>Protection of hands:</li> </ul> |   |  |  |

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to

Printing date 03/21/2018

Reviewed on 03/01/2018

#### Trade name: MPP-825

(Contd. of page 4)

be checked prior to the application. • **Penetration time of glove material** 

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Goggles recommended during refilling.

## 9 Physical and chemical properties

| General Information<br>Appearance:   |   |
|--------------------------------------|---|
| Form:                                | Fluid   |
| Color:                               | According to product specification            |
| Odor:                                | Characteristic                                |
| Odor threshold:                      | Not determined.                               |
| pH-value:                            | Not determined.                               |
| Change in condition                  |   |
| Melting point/Melting range:         | Undetermined.                                 |
| Boiling point/Boiling range:         | Undetermined.                                 |
| Flash point:                         | >112 °C (>233.6 °F)                           |
| Flammability (solid, gaseous):       | Not applicable.                               |
| Decomposition temperature:           | Not determined.                               |
| Auto igniting:                       | Product is not selfigniting.                  |
| Danger of explosion:                 | Product does not present an explosion hazard. |
| Explosion limits:                    |   |
| Lower:                               | Not determined.                               |
| Upper:                               | Not determined.                               |
| Vapor pressure:                      | Not determined.                               |
| Density:                             | Not determined.                               |
| Relative density                     | Not determined.                               |
| Vapor density                        | Not determined.                               |
| Evaporation rate                     | Not determined.                               |
| Solubility in / Miscibility with     |   |
| Water:                               | Not miscible or difficult to mix.             |
| Partition coefficient (n-octanol/wat | ter): Not determined.                         |
| Viscosity:                           |   |
| Dynamic:                             | Not determined.                               |
| Kinematic:                           | Not determined.                               |
| Solvent content:                     |   |
| Organic solvents:                    | 0.3 %   |
| Water:                               | 22.3 %  |
| VOC content:                         | 0.30 %  |
|                                      | 3.0 g/l / 0.03 lb/gl                          |

Printing date 03/21/2018

Reviewed on 03/01/2018

Trade name: MPP-825

(Contd. of page 5)

· Other information

No further relevant information available.

## 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## **11 Toxicological information**

· Information on toxicological effects

• Acute toxicity:

## · LD/LC50 values that are relevant for classification:

471-34-1 calcium carbonate

Oral LD50 6,450 mg/kg (rat)

### 140-88-5 ethyl acrylate

|            | • •      |   |
|------------|----------|---|
| Oral       | LD50     | 800 mg/kg (rat)                         |
| Dermal     | LD50     | 800 mg/kg (rat)<br>1,834 mg/kg (rabbit) |
| Inhalative | LC50/4 h | 2,180 mg/l (rat)                        |

## Primary irritant effect:

- on the skin: No irritant effect.
- on the eye: No irritating effect.
- · Sensitization: Sensitization possible through skin contact.

Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

## · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

140-88-5 ethyl acrylate

## · NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

## **12** Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- $\cdot$  Persistence and degradability No further relevant information available.

(Contd. on page 7)

2B

Printing date 03/21/2018

Reviewed on 03/01/2018

#### Trade name: MPP-825

(Contd. of page 6)

- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes: Not known to be hazardous to water.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

## **13 Disposal considerations**

#### · Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

#### · Uncleaned packagings:

• **Recommendation:** Disposal must be made according to official regulations.

### 14 Transport information

| · UN-Number<br>· DOT, ADN, IMDG, IATA  | not regulated   |  |
|--|-----------------|--|
| <ul> <li>UN proper shipping name</li> <li>DOT, ADN, IMDG, IATA</li> </ul>  | not regulated   |  |
| · Transport hazard class(es)   |                 |  |
| · DOT, ADN, IMDG, IATA<br>· Class  | not regulated   |  |
| <ul> <li>Packing group</li> <li>DOT, IMDG, IATA</li> </ul>   | not regulated   |  |
| · Environmental hazards:   | Not applicable. |  |
| · Special precautions for user   | Not applicable. |  |
| <ul> <li>Transport in bulk according to Annex II of<br/>MARPOL73/78 and the IBC Code</li> <li>Not applicable.</li> </ul> |                 |  |
| · UN "Model Regulation":   | not regulated   |  |

## 15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

• TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65

· Chemicals known to cause cancer:

140-88-5 ethyl acrylate

(Contd. on page 8)

US ·

Printing date 03/21/2018

Reviewed on 03/01/2018

Trade name: MPP-825

|  | (Contd. of pag      |
|--|---------------------|
| Chemicals known to cause reproductive toxicity for females:  |                     |
| None of the ingredients is listed.   |                     |
| Chemicals known to cause reproductive toxicity for males:  |                     |
| None of the ingredients is listed.   |                     |
| Chemicals known to cause developmental toxicity:   |                     |
| None of the ingredients is listed.   |                     |
| Carcinogenic categories  |                     |
| EPA (Environmental Protection Agency)  |                     |
| 57-13-6 urea   |                     |
| TLV (Threshold Limit Value established by ACGIH)   |                     |
| 1332-58-7 Kaolin   | ŀ                   |
| 140-88-5 ethyl acrylate  | ŀ                   |
| NIOSH-Ca (National Institute for Occupational Safety and Health)   |                     |
| 140-88-5 ethyl acrylate  |                     |
| GHS label elements<br>The product is classified and labeled according to the Globally Harmonized Syster<br>Hazard pictograms | n (GHS).            |
| GHS07 GHS08  |                     |
| Signal word Warning  |                     |
| Hazard-determining components of labeling:   |                     |
| 1,2-benzisothiazol-3(2H)-one<br>ethyl acrylate   |                     |
| Hazard statements  |                     |
| May cause an allergic skin reaction.   |                     |
| Suspected of causing cancer. Precautionary statements  |                     |
| Obtain special instructions before use.  |                     |
| Do not handle until all safety precautions have been read and understood.  |                     |
| Avoid breathing dust/fume/gas/mist/vapors/spray<br>Contaminated work clothing must not be allowed out of the workplace.      |                     |
| Wear protective gloves/protective clothing/eye protection/face protection.   |                     |
| If on skin: Wash with plenty of water.   |                     |
| IF exposed or concerned: Get medical advice/attention.<br>Specific treatment (see on this label).                            |                     |
| If skin irritation or rash occurs: Get medical advice/attention.   |                     |
| Wash contaminated clothing before reuse.   |                     |
| Store locked up.<br>Dispose of contents/container in accordance with local/regional/national/internation                     | nal regulations     |
| <b>Chemical safety assessment:</b> A Chemical Safety Assessment has not been carr  |                     |
|  |                     |
|  |                     |
| Other information  |                     |
| <i>Other information</i><br>This information is based on our present knowledge. However, this shall not cons                 | stitute a guarantee |

(Contd. of page 8)

# Safety Data Sheet acc. to OSHA HCS

Printing date 03/21/2018

Reviewed on 03/01/2018

#### Trade name: MPP-825

| · Department issuing SDS: Technical Department  |   |
|---|---|
| • Contact: Technical Director   |   |
|   |   |
| • Abbreviations and acronyms:   |   |
| ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the | е |
| International Carriage of Dangerous Goods by Road)  |   |
| IMDG: International Maritime Code for Dangerous Goods   |   |
| DOT: US Department of Transportation  |   |
| IATA: International Air Transport Association   |   |
| ACGIH: American Conference of Governmental Industrial Hygienists  |   |
| EINECS: European Inventory of Existing Commercial Chemical Substances   |   |
| ELINCS: European List of Notified Chemical Substances   |   |
| CAS: Chemical Abstracts Service (division of the American Chemical Society)                                     |   |
| NFPA: National Fire Protection Association (USA)  |   |
| HMIS: Hazardous Materials Identification System (USA)   |   |
| VOC: Volatile Organic Compounds (USA, EU)   |   |
| LC50: Lethal concentration, 50 percent  |   |
| LD50: Lethal dose, 50 percent   |   |
| PBT: Persistent, Bioaccumulative and Toxic  |   |
| vPvB: very Persistent and very Bioaccumulative  |   |
| NIOSH: National Institute for Occupational Safety   |   |
| OSHA: Occupational Safety & Health  |   |
| TLV: Threshold Limit Value  |   |
| PEL: Permissible Exposure Limit   |   |
| REL: Recommended Exposure Limit   |   |
| Skin Sens. 1: Skin sensitisation – Category 1   |   |
| Carc. 2: Carcinogenicity – Category 2   |   |

us -