

Page 1/9

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/26/2018

Reviewed on 03/26/2018

1 Identification


- Product identifier
- Trade name: UVF-867
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: STAUF USA, LLC. 11121 Hwy 70 Ste 102 ARLINGTON, TN 38002 +1 (866) 458-3872
- Emergency telephone number: CHEMTREC USA +1 (800) 424-9300 & INTERNATIONAL +1 (703) 527-3887

2 Hazard(s) identification

· Classification of the substance or mixture

GH

GHS08 Health hazard





Skin Sens. 1 H317 May cause an allergic skin reaction.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms

- GHS07 GHS08
- · Signal word Warning
- Hazard-determining components of labeling: ethyl acrylate 1,2-benzisothiazol-3(2H)-one
 Hazard statements May cause an allergic skin reaction. Suspected of causing cancer.
 Precautionary statements Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection.

Printing date 03/26/2018

Reviewed on 03/26/2018

Trade name: UVF-867

	(Contd. of page 1
If on skin: Wash with plenty of water.	· · · ·
IF exposed or concerned: Get medical advice/attention.	
Specific treatment (see on this label).	
If skin irritation or rash occurs: Get medical advice/attention.	
Wash contaminated clothing before reuse. Store locked up.	
Dispose of contents/container in accordance with local/regional/nation	onal/international regulations.
Classification system:	
NFPA ratings (scale 0 - 4)	
Health = 0	
Fire = 0	
0 0 Reactivity = 0	
HMIS-ratings (scale 0 - 4)	
$\begin{array}{c c} HEALTH & 0 \\ FIRE & 0 \\ \hline \end{array}$ Health = 0	
REACTIVITY 0 Reactivity = 0	
REACTIVITY OF TREACTIVITY OF T	
Other hazards	
Results of PBT and vPvB assessment	
PBT: Not applicable.	
vPvB: Not applicable.	
Composition/information on ingredients	
Chemical characterization: Mixtures	
Description: Mixture of the substances listed below with nonhazard	ous additions.
Dangerous components:	
140-88-5 ethyl acrylate	1.133%
140-00-5 Chryl aci ylate	1.133%

4 First-aid measures

· Description of first aid measures

• After inhalation:

Supply fresh air and to be sure call for a doctor.

- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.

(Contd. on page 3)

Printing date 03/26/2018

Reviewed on 03/26/2018

Trade name: UVF-867

	(Contd. of page 2)
· Special hazards arising from the substance or mixture No further relevant information	ו available.
Advice for firefighters	

· Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Not required.

· Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

- **Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.
- Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals

· PAC-1:		
140-88-5	ethyl acrylate	8.3 ppm
57-13-6	urea	30 mg/m ³
· PAC-2:		
140-88-5	ethyl acrylate	36 ppm
57-13-6	urea	280 mg/m³
PAC-3:		
140-88-5	ethyl acrylate	240 ppm
57-13-6	urea	1,700 mg/m³

7 Handling and storage

· Handling:

- · Precautions for safe handling No special precautions are necessary if used correctly.
- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 4)

US -

Printing date 03/26/2018

Reviewed on 03/26/2018

Trade name: UVF-867

(Contd. of page 3)

· Control parameters	
· Components with limit values	that require monitoring at the workplace:
140-88-5 ethyl acrylate	
PEL Long-term value: 100 mg/n Skin	n³, 25 ppm
REL See Pocket Guide App. A	
TLV Short-term value: 61 mg/m Long-term value: 20 mg/m ³	
• Additional information: The list	ts that were valid during the creation were used as basis.
 Exposure controls Personal protective equipment General protective and hygien Keep away from foodstuffs, beve Immediately remove all soiled an Wash hands before breaks and a Breathing equipment: Not required 	ic measures: erages and feed. nd contaminated clothing. at the end of work.
Protective gloves	
Due to missing tests no recompreparation/ the chemical mixture Selection of the glove material degradation Material of gloves The selection of the suitable glov quality and varies from manufa substances, the resistance of the be checked prior to the application Penetration time of glove mater	on consideration of the penetration times, rates of diffusion and the ves does not only depend on the material, but also on further marks of acturer to manufacturer. As the product is a preparation of several e glove material can not be calculated in advance and has therefore to on. erial
to be observed. • Eye protection: Goggles recom	as to be found out by the manufacturer of the protective gloves and has
9 Physical and chemical pr	•
· Appearance:	
Form:	Fluid
Color:	According to product specification
· Odor: · Odor threshold:	Characteristic Not determined.
· pH-value:	Not determined.

- Change in condition Melting point/Melting range: Undetermined.

(Contd. on page 5)

US

Printing date 03/26/2018

Reviewed on 03/26/2018

Trade name: UVF-867

	(Contd. of page 4)
Boiling point/Boiling range:	100 °C (212 °F)
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	unknown °C
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits: Lower: Upper:	Not determined. Not determined.
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
 Density: Relative density Vapor density Evaporation rate 	Not determined. Not determined. Not determined. Not determined.
Solubility in / Miscibility with Water:	Fully miscible.
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity: Dynamic: Kinematic:	Not determined. Not determined.
 Solvent content: Water: VOC content: 	13.6 % 0.00 % 0.0 g/l / 0.00 lb/gl
· Other information	No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 6)

US

Printing date 03/26/2018

Reviewed on 03/26/2018

Trade name: UVF-867

(Contd. of page 5)

Dermal LD50 161,871 mg/kg (rabbit) Inhalative LC50/4 h 192,410 mg/l (rat) 140-88-5 ethyl acrylate Image: Strate Str	· Acute tox · LD/LC50 v ATE (Acut	on on toxi icity: values tha	formation cological effects it are relevant for classification: y Estimate)
Inhalative LC50/4 h 192,410 mg/l (rat) 140-88-5 ethyl acrylate Oral LD50 800 mg/kg (rat) Dermal LD50 1,834 mg/kg (rabbit) Inhalative LC50/4 h 2,180 mg/l (rat) • Primary irritant effect: • on the skin: No irritant effect. • on the skin: No irritant effect. • on the eye: No irritating effect. • Sensitization: Sensitization possible through skin contact. • Additional toxicological information: The product shows the following dangers according to internally approved calculation methods for preparations: Irritant • Carcinogenic categories • • IARC (International Agency for Research on Cancer) 140-88-5 • NTP (National Toxicology Program) None of the ingredients is listed. • OSHA-Ca (Occupational Safety & Health Administration) 140-88-5	-		
Oral LD50 800 mg/kg (rat) Dermal LD50 1,834 mg/kg (rabbit) Inhalative LC50/4 h 2,180 mg/l (rat) Primary irritant effect: • • on the skin: No irritant effect. • • on the eye: No irritating effect. • • on the eye: No irritating effect. • • Additional toxicological information: • The product shows the following dangers according to internally approved calculation methods for preparations: Irritant • • Carcinogenic categories • • IARC (International Agency for Research on Cancer) 140-88-5 • MTP (National Toxicology Program) 2B • None of the ingredients is listed. • • OSHA-Ca (Occupational Safety & Health Administration) •			
Oral LD50 800 mg/kg (rat) Dermal LD50 1,834 mg/kg (rabbit) Inhalative LC50/4 h 2,180 mg/l (rat) Primary irritant effect: • • on the skin: No irritant effect. • • on the eye: No irritating effect. • • on the eye: No irritating effect. • • Additional toxicological information: • The product shows the following dangers according to internally approved calculation methods for preparations: Irritant • • Carcinogenic categories • • IARC (International Agency for Research on Cancer) 140-88-5 • MTP (National Toxicology Program) 2B • None of the ingredients is listed. • • OSHA-Ca (Occupational Safety & Health Administration) •			
Dermal LD50 1,834 mg/kg (rabbit) Inhalative LC50/4 h 2,180 mg/l (rat) Primary irritant effect: on the skin: No irritant effect. on the skin: No irritating effect. sensitization: Sensitization possible through skin contact. Additional toxicological information: The product shows the following dangers according to internally approved calculation methods for preparations: Irritant - Carcinogenic categories IARC (International Agency for Research on Cancer) 140-88-5 ethyl acrylat 2B None of the ingredients is listed. OSHA-Ca (Occupational Safety & Health Administration) 1804			
 Primary irritant effect: on the skin: No irritant effect. on the eye: No irritating effect. Sensitization: Sensitization possible through skin contact. Additional toxicological information: The product shows the following dangers according to internally approved calculation methods for preparations: Irritant Carcinogenic categories IARC (International Agency for Research on Cancer) 140-88-5 ethyl acrylate NTP (National Toxicology Program) None of the ingredients is listed. OSHA-Ca (Occupational Safety & Health Administration) 	Dermal		
 on the skin: No irritant effect. on the eye: No irritating effect. Sensitization: Sensitization possible through skin contact. Additional toxicological information: The product shows the following dangers according to internally approved calculation methods for preparations: Irritant Carcinogenic categories IARC (International Agency for Research on Cancer) 140-88-5 ethyl acrylate 2B NTP (National Toxicology Program) None of the ingredients is listed. OSHA-Ca (Occupational Safety & Health Administration) 	Inhalative	LC50/4 h	2,180 mg/l (rat)
140-88-5 ethyl acrylate 2B • NTP (National Toxicology Program) None of the ingredients is listed. • OSHA-Ca (Occupational Safety & Health Administration)	preparation Irritant	ns:	
NTP (National Toxicology Program) None of the ingredients is listed. OSHA-Ca (Occupational Safety & Health Administration)	· IARC (Inte	rnational	Agency for Research on Cancer)
None of the ingredients is listed. OSHA-Ca (Occupational Safety & Health Administration)	140-88-5	ethyl acryla	ate 2B
· OSHA-Ca (Occupational Safety & Health Administration)	NTP (Natio	onal Toxic	cology Program)
	None of th	e ingrediei	nts is listed.
None of the ingredients is listed.		• •	•
	None of th	e ingrediei	nts is listed.

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

(Contd. on page 7)

US

(Contd. of page 6)

Safety Data Sheet acc. to OSHA HCS

Printing date 03/26/2018

Reviewed on 03/26/2018

Trade name: UVF-867

· Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number		
DOT, ADN, IMDG, IATA	not regulated	
UN proper shipping name DOT, ADN, IMDG, IATA	not regulated	
Transport hazard class(es)		
DOT, ADN, IMDG, IATA Class	not regulated	
Packing group DOT, IMDG, IATA	not regulated	
Environmental hazards:	Not applicable.	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	k II of Not applicable.	
UN "Model Regulation":	not regulated	

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

•••• ··				
· TSCA (To)	kic Substances Control Act):			
140-88-5	ethyl acrylate			
9003-04-7	2-propenoic acid, homopolymer, sodium salt			
57-13-6	urea			
2634-33-5	1,2-benzisothiazol-3(2H)-one			
7732-18-5	water, distilled, conductivity or of similar purity			
	 TSCA new (21st Century Act) (Substances not listed) Proposition 65 			
· Chemicals	s known to cause cancer:			
140-88-5	ethyl acrylate			

(Contd. on page 8)

US

(Contd. of page 7)

Ш

A4

Safety Data Sheet acc. to OSHA HCS

Printing date 03/26/2018

Reviewed on 03/26/2018

Trade name: UVF-867

Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

57-13-6 urea

· TLV (Threshold Limit Value established by ACGIH)

140-88-5 ethyl acrylate

· NIOSH-Ca (National Institute for Occupational Safety and Health)

140-88-5 ethyl acrylate

GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



· Signal word Warning

Hazard-determining components of labeling: ethyl acrylate

1,2-benzisothiazol-3(2H)-one

- **Hazard statements** May cause an allergic skin reaction. Suspected of causing cancer.
- Precautionary statements
 Obtain special instructions before use.
 Do not handle until all safety precautions have been read and understood.
 Avoid breathing dust/fume/gas/mist/vapors/spray
 Contaminated work clothing must not be allowed out of the workplace.
 Wear protective gloves/protective clothing/eye protection/face protection.
 If on skin: Wash with plenty of water.
 IF exposed or concerned: Get medical advice/attention.
 Specific treatment (see on this label).
 If skin irritation or rash occurs: Get medical advice/attention.
 Wash contaminated clothing before reuse.
 Store locked up.
 Dispose of contents/container in accordance with local/regional/national/international regulations.
 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Technical Department

(Contd. on page 9)

Printing date 03/26/2018

Reviewed on 03/26/2018

Trade name: UVF-867

(Contd. of page	8)
· Contact: Technical Director	
Abbreviations and acronyms:	
 Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPVB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLY: Threshold Limit Value PEL: Permissible Exposure Limit 	he
REL: Recommended Exposure Limit	
Skin Sens. 1: Skin sensitisation – Category 1	
Carc. 2: Carcinogenicity – Category 2	
	-US -