Printing date 02/19/2016 Reviewed on 02/19/2016

1 Identification

· Product identifier

· Trade name: STAUF CCI-600-A

· Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Details of the supplier of the safety data sheet

· Distributor:

STAUF USA, LLC. 11121 Hwy 70 Suite 102 Arlington, TN 38002, USA Phone 1-901-820-0007 Fax 1-901-820-0101

2 Hazard(s) identification

· Classification of the substance or mixture



GHS09 Environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



GHS07

Acute Tox. 4 H332 Harmful if inhaled.
Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC



W Toxic

May cause cancer. May cause heritable genetic damage.



rritant

Irritating to eyes and skin. May cause sensitization by skin contact.



Dangerous for the environment

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

· Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· Classification system:

The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.

- · Label elements
- · Labelling according to EU guidelines:

The product has been classified and marked in accordance with directives on hazardous materials.

(Contd. on page 2)

Printing date 02/19/2016 Reviewed on 02/19/2016

Trade name: STAUF CCI-600-A

(Contd. of page 1)

· Code letter and hazard designation of product:





T Toxic

N Dangerous for the environment

Hazard-determining components of labeling:

Phenol, 4,4'-(1-methylethylidene)bis-, polymer with (chloromethyl)oxirane

Bisphenol F- Epoxidharz

Oxirane, mono[(C12-14-alkyloxy)methyl] derivs.

Solvent naphtha (petroleum), light arom.

· Risk phrases:

May cause cancer.

May cause heritable genetic damage.

Irritating to eves and skin.

May cause sensitization by skin contact.

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

Safety phrases:

Avoid exposure - obtain special instructions before use.

When using do not eat or drink.

Do not breathe gas/fumes/vapour/spray.

Avoid contact with skin.

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

After contact with skin, wash immediately with plenty of water

Do not empty into drains.

Wear suitable gloves and eye/face protection.

In case of accident or if you feel unwell, seek medical advice immediately.

Use appropriate container to avoid environmental contamination.

This material and its container must be disposed of as hazardous waste.

Special labeling of certain preparations:

Contains epoxy constituents. See information supplied by the manufacturer.

- · Classification system:
- NFPA ratings (scale 0 4)



Health = 1Fire = 1Reactivity = 0

· WHMIS-ratings (scale 0 - 4)



Health = 1Fire = 1

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description**: Mixture of the substances listed below with nonhazardous additions.

(Contd. on page 3)

Printing date 02/19/2016 Reviewed on 02/19/2016

Trade name: STAUF CCI-600-A

		(Contd. of page 2)	
 Dangerous 	· Dangerous components:		
25068-38-6	Phenol, 4,4'-(1-methylethylidene)bis-, polymer with (chloromethyl)oxirane	25-50%	
9003-36-5	Bisphenol F- Epoxidharz	10-25%	
68609-97-2	Oxirane, mono[(C12-14-alkyloxy)methyl] derivs.	2.5-10%	
61788-44-1	Phenol, styrolisiert	2.5-10%	
64742-95-6	Solvent naphtha (petroleum), light arom.	≤ 2.5%	
Additional information. For the wording of the listed violenburges refer to coeting 40			

• Additional information: For the wording of the listed risk phrases refer to section 16.

4 First-aid measures

- · Description of first aid measures
- · After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Immediately rinse with water.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Do not induce vomiting; immediately call for medical help.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed.
 No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire fighting measures that suit the environment.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Wear protective clothing.

· Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

(Contd. on page 4)

Printing date 02/19/2016 Reviewed on 02/19/2016

Trade name: STAUF CCI-600-A

(Contd. of page 3)

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

· Breathing equipment:

Not necessary if room is well-ventilated.

Use suitable respiratory protective device in case of insufficient ventilation.

Protection of hands:



Protective gloves

- · Material of gloves Strong gloves
- · Eye protection:



Tightly sealed goggles

(Contd. on page 5)

Printing date 02/19/2016 Reviewed on 02/19/2016

Trade name: STAUF CCI-600-A

· Body protection: Protective work clothing

(Contd. of page 4)

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Fluid

Color: According to product specification

Odor: Characteristic
 Odour threshold: Not determined.
 pH-value: Not determined.

· Change in condition

Boiling point/Boiling range: Undetermined.

• Flash point: 143 °C (289 °F)

• Flammability (solid, gaseous): Not applicable.

· Ignition temperature:

Decomposition temperature: Not determined.

· Auto igniting: Product is not selfigniting.

• Danger of explosion: Product does not present an explosion hazard.

· Explosion limits:

Lower:
Upper:
Not determined.
Not determined.

Vapor pressure:
Not determined.

Density:
Relative density
Vapour density
Vapour density
Evaporation rate
Not determined.
Not determined.
Not determined.

· Solubility in / Miscibility with

Water: Not miscible or difficult to mix.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic: Not determined. Kinematic: Not determined.

· Solvent content:

Organic solvents: 0.5 % VOC Content: 0.5 % 0.49 %

• Other information No further relevant information available.

10 Stability and reactivity

- Reactivity
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

(Contd. on page 6)

Printing date 02/19/2016 Reviewed on 02/19/2016

Trade name: STAUF CCI-600-A

(Contd. of page 5)

- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· · · · · · · · · · · · · · · · · · ·			
· LD/LC50 \	· LD/LC50 values that are relevant for classification:		
25068-38-	25068-38-6 Phenol, 4,4'-(1-methylethylidene)bis-, polymer with (chloromethyl)oxirane		
Inhalative	Inhalative LC50 (static) 1.5 mg/l (Fisch)		
9003-36-5	9003-36-5 Bisphenol F- Epoxidharz		
Oral	LD50	> 2000 mg/kg (Ratte)	
Dermal	LD50	> 5000 mg/kg (Ratte)	
61788-44-	61788-44-1 Phenol, styrolisiert		
Oral	LD50	> 2000 mg/kg (rat)	
64742-95-	64742-95-6 Solvent naphtha (petroleum), light arom.		
Oral	LD50	>6800 mg/kg (rat)	
Dermal	LD50	>3400 mg/kg (rab)	
Inhalative	LC50/48 h	>10.2 mg/l (rat)	

Specific symptoms in biological assay:

9003-36-5 Bisphenol F- Epoxidharz

Irritation of eyes Reizwirkung (rab)

- Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

Carcinogenic.

The product can cause inheritable damage.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

- U

Printing date 02/19/2016 Reviewed on 02/19/2016

Trade name: STAUF CCI-600-A

(Contd. of page 6)

12 Ecological information

· Toxicity

· Aquatic toxicity:			
25068-38-6	25068-38-6 Phenol, 4,4'-(1-methylethylidene)bis-, polymer with (chloromethyl)oxirane		
EC50	EC50 11 mg/l (Selenastrum capricornutum) (72h)		
	1.8 mg/l (Daphnia magna Wasserfloh) (48h)		
NOEC	0.3 mg/l (Daphnia magna Wasserfloh) (21 Tg)		
9003-36-5	9003-36-5 Bisphenol F- Epoxidharz		
EC50	1.8 mg/l (Algen- Navicula seminulum) (72h)		
	1.6 mg/l (Daphnia magna Wasserfloh) (48h)		
LC50/ 96h	0.55 mg/l (Fisch)		
NOEC	0.3 mg/l (Daphnia magna Wasserfloh)		

- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Toxic for fish
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation: If product has aged or solidified conventional means of disposal are acceptable.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information

· Environmental hazards:

· Marine pollutant: No

· Special precautions for user Not applicable.

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

-- 1

Printing date 02/19/2016 Reviewed on 02/19/2016

Trade name: STAUF CCI-600-A

(Contd. of page 7)

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredient is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Canadian Ingredient disclosure list
- · Limit 0.1%

None of the ingredients is listed.

Limit 1%

None of the ingredients is listed.

- · Cancerogenity categories
- EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· MAK (German Maximum Workplace Concentration)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Product related hazard informations:

· Hazard symbols:

The product has been classified and marked in accordance with directives on hazardous materials.

- · Safety phrases: Keep out of the reach of children.
- · National regulations:
- · Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

(Contd. on page 9)

Printing date 02/19/2016 Reviewed on 02/19/2016

Trade name: STAUF CCI-600-A

(Contd. of page 8)

· Technical instructions (air):

Class	Share in %
NK	≤ 2,5

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · **Department issuing SDS:** Technical Department
- Contact: Wolfgang Stauf, Phone 901-820-0007, Email wolfgang.stauf@staufusa.com
- Date of preparation / last revision 02/19/2016 / -
- · Abbreviations and acronyms:

Acute Tox. 4: Acute toxicity, Hazard Category 4

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2

US

Printing date 02/19/2016 Reviewed on 02/19/2016

1 Identification

- · Product identifier
- · Trade name: STAUF CCI-600-B
- · Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Details of the supplier of the safety data sheet
- · Distributor:

STAUF USA, LLC. 11121 Hwy 70 Suite 102 Arlington, TN 38002, USA Phone 1-901-820-0007 Fax 1-901-820-0101

2 Hazard(s) identification

· Classification of the substance or mixture



GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H312 Harmful in contact with skin.

Acute Tox. 4 H332 Harmful if inhaled.

Skin Sens. 1 H317 May cause an allergic skin reaction.

· Classification according to Directive 67/548/EEC or Directive 1999/45/EC



Corrosive

Causes burns.



X Harmful

Harmful by inhalation, in contact with skin and if swallowed.



Irritant

May cause sensitization by skin contact.

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

· Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

Classification system:

The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.

- · Label elements
- · Labelling according to EU guidelines:

The product has been classified and marked in accordance with directives on hazardous materials.

(Contd. on page 2)

Printing date 02/19/2016 Reviewed on 02/19/2016

Trade name: STAUF CCI-600-B

(Contd. of page 1)

· Code letter and hazard designation of product:



C Corrosive

 Hazard-determining components of labeling: 3-aminomethyl-3,5,5-trimethylcyclohexylamine Benzyl alcohol m-phenylenebis(methylamine)

· Risk phrases:

Harmful by inhalation, in contact with skin and if swallowed.

Causes burns.

May cause sensitization by skin contact.

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment

· Safety phrases:

Keep container in a well-ventilated place.

When using do not eat or drink.

Do not breathe gas/fumes/vapour/spray.

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

After contact with skin, wash immediately with plenty of water

Do not empty into drains.

Wear suitable protective clothing, gloves and eye/face protection.

In case of accident or if you feel unwell, seek medical advice immediately.

This material and its container must be disposed of as hazardous waste.

Avoid release to the environment. Refer to special instructions/Safety data sheets

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 3Fire = 1Reactivity = 0

· WHMIS-ratings (scale 0 - 4)



Health = 3Fire = 1REACTIVITY 0 Reactivity = 0

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description:** Mixture of the substances listed below with nonhazardous additions.

	· Dangerous components:		
	100-51-6	Benzyl alcohol	25-50%
Ī	2855-13-2	3-aminomethyl-3,5,5-trimethylcyclohexylamine	25-50%
ı	1477-55-0	m-phenylenebis(methylamine)	10-25%
ľ		(Cont	d. on page 3)

Printing date 02/19/2016 Reviewed on 02/19/2016

Trade name: STAUF CCI-600-B

(Contd. of page 2)

69-72-7 Salicylic acid

2.5-10%

· Additional information: For the wording of the listed risk phrases refer to section 16.

4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Immediately rinse with water.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Do not induce vomiting; immediately call for medical help.

Immediately call a doctor.

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

· Information for doctor:

- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Mount respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Wear protective clothing.

· Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

(Contd. on page 4)

Printing date 02/19/2016 Reviewed on 02/19/2016

Trade name: STAUF CCI-600-B

(Contd. of page 3)

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

100-51-6 Benzyl alcohol

WEEL Long-term value: 10 ppm

1477-55-0 m-phenylenebis(methylamine)

REL Ceiling limit value: 0.1 mg/m³

Skin

TLV Ceiling limit value: 0.1 mg/m³

Skin

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Breathing equipment:

Not necessary if room is well-ventilated.

Use suitable respiratory protective device in case of insufficient ventilation.

- · Protection of hands: Not required.
- · Material of gloves Butyl rubber, BR
- · Eve protection:



Tightly sealed goggles

(Contd. on page 5)

Printing date 02/19/2016 Reviewed on 02/19/2016

Trade name: STAUF CCI-600-B

· Body protection: Protective work clothing

(Contd. of page 4)

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Fluid

Color: According to product specification

Odor: Characteristic
 Odour threshold: Not determined.
 pH-value: Not determined.

· Change in condition

Boiling point/Boiling range: 205 °C (401 °F)

• Flash point: 94 °C (201 °F)

• Flammability (solid, gaseous): Not applicable.

• Ignition temperature: 435 °C (815 °F)

• Decomposition temperature: Not determined.

· **Auto igniting:** Product is not selfigniting.

• Danger of explosion: Product does not present an explosion hazard.

· Explosion limits:

Lower: 1.3 Vol % 13.0 Vol %
• Vapor pressure at 20 °C (68 °F): 0.1 hPa

Density: Not determined.
Relative density Not determined.
Vapour density Not determined.
Evaporation rate Not determined.

· Solubility in / Miscibility with

Water: Not miscible or difficult to mix.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic: Not determined. Kinematic: Not determined.

· Solvent content:

Organic solvents: 0.0 % VOC Content: 0.00 %

• Other information No further relevant information available.

10 Stability and reactivity

- Reactivity
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.

(Contd. on page 6)

Printing date 02/19/2016 Reviewed on 02/19/2016

Trade name: STAUF CCI-600-B

(Contd. of page 5)

- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· <i>LE</i>	· LD/LC50 values that are relevant for classification:		
10	100-51-6 Benzyl alcohol		
Oı	ral	LD50	1230 mg/kg (rat)
De	ermal	LD50	2000 mg/kg (rabbit)
14	1477-55-0 m-phenylenebis(methylamine)		
Oı	ral	LD50	1040 mg/kg (rat)
Inl	halative	LC50/48 h	2.4 mg/l (rat)

- Primary irritant effect:
- · on the skin: Caustic effect on skin and mucous membranes.
- · on the eye: Strong caustic effect.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

(Contd. on page 7)

Printing date 02/19/2016 Reviewed on 02/19/2016

Trade name: STAUF CCI-600-B

(Contd. of page 6)

Do not allow product to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even small quantities leak into the ground.

Harmful to aquatic organisms

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- Recommendation: If product has aged or solidified conventional means of disposal are acceptable.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information

- · Environmental hazards:
- · Marine pollutant: No
- · Special precautions for user Not applicable.
- · Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredient is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Canadian Ingredient disclosure list
- · Limit 0,1%

69-72-7 Salicylic acid

(Contd. on page 8)

Printing date 02/19/2016 Reviewed on 02/19/2016

Trade name: STAUF CCI-600-B

	(Contd. of page 7)
· Limit 1%	
100-51-6	Benzyl alcohol
2855-13-2	3-aminomethyl-3,5,5-trimethylcyclohexylamine
1477-55-0	m-phenylenebis(methylamine)

- · Cancerogenity categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· MAK (German Maximum Workplace Concentration)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · Product related hazard informations:
- · Hazard symbols:

The product has been classified and marked in accordance with directives on hazardous materials.

- · Safety phrases: Keep out of the reach of children.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · **Department issuing SDS:** Technical Department
- · Contact: Wolfgang Stauf, Phone 901-820-0007, Email wolfgang.stauf@staufusa.com
- · Date of preparation / last revision 02/19/2016 / -
- · Abbreviations and acronyms:

Acute Tox. 4: Acute toxicity, Hazard Category 4

Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B

Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1

US