Printing date 05/01/2020 Reviewed on 05/01/2020

### 1 Identification

· Product identifier

· Trade name: STAUF UPS-670-A

· Details of the supplier of the safety data sheet

· Distributor:

STAUF USA, LLC. 835 Herbert Rd

Cordova, TN 38018, USA Phone 1-901-820-0007 Fax 1-901-820-0101

### 2 Hazard(s) identification

· Classification of the substance or mixture

The product is not classified, according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 0 Fire = 0 Reactivity = 0

· WHMIS-ratings (scale 0 - 4)



Health = 0Fire = 0Reactivity = 0

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

### 3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components: Void

· Additional information: For the wording of the listed hazard phrases refer to section 16.

#### 4 First-aid measures

- · Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complications.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing: If symptoms persist consult doctor.

(Contd. on page 2)

Printing date 05/01/2020 Reviewed on 05/01/2020

Trade name: STAUF UPS-670-A

(Contd. of page 1)

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- $\cdot$  Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## **5 Fire-fighting measures**

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Wear protective clothing.

· Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

**Protective Action Criteria for Chemicals** 

· PAC-1:

None of the ingredients is listed.

· PAC-2:

None of the ingredients is listed.

· PAC-3:

None of the ingredients is listed.

## 7 Handling and storage

- · Handling:
- Precautions for safe handling No special precautions are necessary if used correctly.
- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

US

Printing date 05/01/2020 Reviewed on 05/01/2020

Trade name: STAUF UPS-670-A

(Contd. of page 2)

## 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Wash hands before breaks and at the end of work.

- · Breathing equipment: Not necessary if room is well-ventilated.
- · Protection of hands: Not required.
- · Material of gloves Butyl rubber, BR
- · Eye protection: Goggles recommended during refilling.
- · Body protection: Protective work clothing

### 9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information

· Appearance:

Form:
Color:
Color:
Colorless
Odorless
Odor threshold:
Not determined.

PH-value:
Not determined.

· Change in condition

Boiling point/Boiling range: 100 °C (212 °F)

• Flash point: Not applicable.

• Flammability (solid, gaseous): Not applicable.

• Decomposition temperature: Not determined.

• **Auto igniting:** Product is not selfigniting.

Danger of explosion:
 Product does not present an explosion hazard.

· Explosion limits:

Lower: Not determined. Upper: Not determined.

Vapor pressure at 20 °C (68 °F):
 Density at 20 °C (68 °F):
 1 g/cm³ (8.345 lbs/gal)

Relative density
 Vapor density
 Evaporation rate
 Not determined.
 Not determined.

· Solubility in / Miscibility with

Water: Not determined.

(Contd. on page 4)

Printing date 05/01/2020 Reviewed on 05/01/2020

Trade name: STAUF UPS-670-A

(Contd. of page 3)

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic at 20 °C (68 °F): 0.952 mPas Kinematic: Not determined.

· Solvent content:

 Water:
 97.0 %

 VOC Content:
 0.00 %

 0.00 %
 0.00 %

• Other information No further relevant information available.

## 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

## 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.

(Contd. on page 5)

Printing date 05/01/2020 Reviewed on 05/01/2020

Trade name: STAUF UPS-670-A

· Mobility in soil No further relevant information available.

· Additional ecological information:

· General notes:

Water danger class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

# 13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Smaller quantities can be disposed of with household waste.
- Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

## **14 Transport information**

· UN-Number

· DOT, ADR, IMDG, IATA Void

UN proper shipping name

· DOT, ADR, IMDG, IATA Void

· Transport hazard class(es)

· DOT, ADR, ADN, IMDG, IATA

· Class Void

· Packing group

· DOT, ADR, IMDG, IATA Void

Environmental hazards:
 Special precautions for user
 Not applicable.
 Not applicable.

Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

· UN "Model Regulation": Void

#### 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredient is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

7732-18-5 water, distilled, conductivity or of similar purity

ACTIVE

(Contd. of page 4)

· Hazardous Air Pollutants

None of the ingredients is listed.

(Contd. on page 6)

Printing date 05/01/2020 Reviewed on 05/01/2020

Trade name: STAUF UPS-670-A

(Contd. of page 5)

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Canadian Ingredient disclosure list
- · Limit 0.1%

None of the ingredients is listed.

· Limit 1%

None of the ingredients is listed.

- Cancerogenity categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· MAK (German Maximum Workplace Concentration)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- National regulations:
- · Technical instructions (air):
- · Class Share in % Water danger class 3 (Self-assessment): extremely hazardous for water.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Technical Department
- · Contact: Wolfgang Stauf, Phone 901-820-0007, Email wolfgang.stauf@staufusa.com
- · Date of preparation / last revision 05/01/2020 / -

Printing date 05/02/2020 Reviewed on 05/02/2020

### 1 Identification

· Product identifier

· Trade name: STAUF UPS-670-B

· Details of the supplier of the safety data sheet

· Distributor:

STAUF USA, LLC. 835 Herbert Rd

Cordova, TN 38018, USA Phone 1-901-820-0007 Fax 1-901-820-0101

## 2 Hazard(s) identification

· Classification of the substance or mixture



**GHS05** Corrosion

Eye Dam. 1 H318 Causes serious eye damage.



Acute Tox. 4 H332 Harmful if inhaled.
Skin Irrit. 2 H315 Causes skin irritation.

- · Label elements
- GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms





GHS05 GHS07

- · Signal word Danger
- · Hazard-determining components of labeling:

ethyldiisopropylamine

hexamethylene-di-isocyanate

Phosphoric acid, butyl ester

poly(oxy-1,2-ethanediyl), α-tridecyl-ω-hydroxy-, phosphate

· Hazard statements

H332 Harmful if inhaled.

H315 Causes skin irritation.

H318 Causes serious eye damage.

· Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P264 Wash thoroughly after handling.

P280 Wear protective gloves / eye protection / face protection.

P302+P352 If on skin: Wash with plenty of water.
P310 Immediately call a poison center/doctor.
P321 Specific treatment (see on this label).

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

(Contd. on page 2)

Printing date 05/02/2020 Reviewed on 05/02/2020

Trade name: STAUF UPS-670-B

(Contd. of page 1)

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

Take off contaminated clothing and wash it before reuse. P362+P364 P332+P313 If skin irritation occurs: Get medical advice/attention.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 3 Fire = 1 Reactivity = 0

· WHMIS-ratings (scale 0 - 4)



\*3 Health = \*3 Fire = 1

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

# 3 Composition/information on ingredients

- Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:			
7087-68-5	ethyldiisopropylamine	2.5-10%	
9046-01-9	poly(oxy-1,2-ethanediyl), α-tridecyl-ω-hydroxy-, phosphate	2.5-10%	
12788-93-1	Phosphoric acid, butyl ester	2.5-10%	
822-06-0	hexamethylene-di-isocyanate	≤2.5%	

<sup>·</sup> Additional information: For the wording of the listed hazard phrases refer to section 16.

### 4 First-aid measures

- Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Immediately rinse with water.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Do not induce vomiting; immediately call for medical help.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

Printing date 05/02/2020 Reviewed on 05/02/2020

Trade name: STAUF UPS-670-B

(Contd. of page 2)

Indication of any immediate medical attention and special treatment needed
 No further relevant information available.

### **5 Fire-fighting measures**

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire fighting measures that suit the environment.

- · Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · **Protective equipment:** Mount respiratory protective device.

#### 6 Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Wear protective clothing.

#### · Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

#### · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

#### · Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### **Protective Action Criteria for Chemicals**

· PAC-1:				
7087-68-5	ethyldiisopropylamine	1.8 ppm		
822-06-0	hexamethylene-di-isocyanate	0.018 ppm		
PAC-2:				
7087-68-5	ethyldiisopropylamine	19 ppm		
822-06-0	hexamethylene-di-isocyanate	0.2 ppm		
· PAC-3:				
7087-68-5	ethyldiisopropylamine	120 ppm		
822-06-0	hexamethylene-di-isocyanate	3 ppm		

## 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about protection against explosions and fires: No special measures required.

(Contd. on page 4)

Printing date 05/02/2020 Reviewed on 05/02/2020

Trade name: STAUF UPS-670-B

(Contd. of page 3)

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

# 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL. TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

#### 822-06-0 hexamethylene-di-isocyanate

REL Long-term value: 0.035 mg/m³, 0.005 ppm Ceiling limit value: 0.14\* mg/m³, 0.02\* ppm

\*10-min

TLV Long-term value: 0.034 mg/m<sup>3</sup>, 0.005 ppm

BEI

- · Additional information: The lists that were valid during the creation were used as basis.
- Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Breathing equipment:

Not necessary if room is well-ventilated.

Use suitable respiratory protective device in case of insufficient ventilation.

· Protection of hands:



Protective gloves

- · Material of gloves Butyl rubber, BR
- · Eye protection:



Tightly sealed goggles

Body protection: Protective work clothing

Printing date 05/02/2020 Reviewed on 05/02/2020

Trade name: STAUF UPS-670-B

(Contd. of page 4)

### 9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Fluid

Color: According to product specification

Odor: CharacteristicOdor threshold: Not determined.pH-value: Not determined.

· Change in condition

Boiling point/Boiling range: 187 °C (368.6 °F)

• Flash point: 136 °C (276.8 °F)

• Flammability (solid, gaseous): Not applicable.

• Ignition temperature: 454 °C (849.2 °F)

• Decomposition temperature: Not determined.

· **Auto igniting:** Product is not selfigniting.

• Danger of explosion: Product does not present an explosion hazard.

· Explosion limits:

 Lower:
 0.9 Vol %

 Upper:
 9.5 Vol %

 • Vapor pressure at 20 °C (68 °F):
 0 hPa

Density: Not determined.
Relative density Not determined.
Vapor density Not determined.
Evaporation rate Not determined.

· Solubility in / Miscibility with

Water: Not determined.

• Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic: Not determined. Kinematic: Not determined.

· Solvent content:

VOC Content: 0.00 % 0.00 %

• Other information No further relevant information available.

## 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.

(Contd. on page 6)

Printing date 05/02/2020 Reviewed on 05/02/2020

Trade name: STAUF UPS-670-B

(Contd. of page 5)

· Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological information

- Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: Strong irritant with the danger of severe eye injury.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

# 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

## 13 Disposal considerations

- · Waste treatment methods
- · Recommendation: If product has aged or solidified conventional means of disposal are acceptable.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

(Contd. on page 7)

Reviewed on 05/02/2020 Printing date 05/02/2020

Trade name: STAUF UPS-670-B

UN2922

· Recommended cleansing agent: Water, if necessary with cleansing agents.

## **14 Transport information**

· UN-Number

DOT, ADR, IMDG, IATA

· UN proper shipping name · DOT Corrosive liquids, toxic, n.o.s. (ethyldiisopropylamine,

Hexamethylene diisocyanate)

· ADR 2922 CORROSIVE LIQUID, TOXIC, N.O.S.

(ethyldiisopropylamine, HEXAMETHYLENE DIISOCYANATE)

CORROSIVE LIQUID, TOXIC, N.O.S. (ethyldiisopropylamine,

HEXAMETHYLENE DIISOCYANATE)

· Transport hazard class(es)

· DOT



· IMDG, IATA



8 Corrosive substances · Class

· Label 8, 6.1

· ADR





· Class 8 Corrosive substances

8+6.1 · Label

·IMDG





· Class 8 Corrosive substances

· Label 8/6.1

·IATA





· Class 8 Corrosive substances

· Label 8 (6.1)

· Packing group

· DOT, ADR, IMDG, IATA

· Environmental hazards: Not applicable.

· Special precautions for user Warning: Corrosive substances

Ш

· Hazard identification number (Kemler code): 86

F-A,S-B · EMS Number:

 Segregation groups Alkalis

(Contd. on page 8)

(Contd. of page 6)

Printing date 05/02/2020 Reviewed on 05/02/2020

Trade name: STAUF UPS-670-B

· Stowage Code

· Stowage Category B

SW2 Clear of living quarters.

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

· Transport/Additional information:

· ADR

· Excepted quantities (EQ) Code: E1

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

·IMDG

Limited quantities (LQ)Excepted quantities (EQ)Code: E1

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

• UN "Model Regulation": UN 2922 CORROSIVE LIQUID, TOXIC, N.O.S.

(ETHYLDIISOPROPYLAMINE, HEXAMETHYLENE

DIISOCYANATE), 8 (6.1), III

4				4.0
15 R		atory	nrma	tion
	GUU		Jilla	

· Safety, health and environmental regulations/legislation specific for the substance or mixture

Sara

· Section 355 (extremely hazardous substances):

None of the ingredient is listed.

· Section 313 (Specific toxic chemical listings):

822-06-0 hexamethylene-di-isocyanate

· TSCA (Toxic Substances Control Act):

7087-68-5 ethyldiisopropylamine ACTIVE

9046-01-9poly(oxy-1,2-ethanediyl), α-tridecyl-ω-hydroxy-, phosphateACTIVE822-06-0hexamethylene-di-isocyanateACTIVE

· Hazardous Air Pollutants

822-06-0 hexamethylene-di-isocyanate

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

Canadian Ingredient disclosure list

· Limit 0.1%

None of the ingredients is listed.

· Limit 1%

12788-93-1 Phosphoric acid, butyl ester

(Contd. on page 9)

(Contd. of page 7)

Printing date 05/02/2020 Reviewed on 05/02/2020

Trade name: STAUF UPS-670-B

(Contd. of page 8)

· Cancerogenity categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· MAK (German Maximum Workplace Concentration)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · National regulations:
- · Technical instructions (air):

Class	Share in %
I	≤2.5

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Technical Department
- · Contact: Wolfgang Stauf, Phone 901-820-0007, Email wolfgang.stauf@staufusa.com
- · Date of preparation / last revision 05/02/2020 / -
- Abbreviations and acronyms:

Acute Tox. 4: Acute toxicity - Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

US