

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/09/2019

Reviewed on 07/30/2019

1 Identification

- **Product identifier**
- **Trade name:** STAUF CCR-630 Part A
- **Details of the supplier of the safety data sheet**
- **Distributor:**
STAUF USA, LLC.
835 Herbert Rd
Cordova, TN 38018, USA
Phone 1-901-820-0007
Fax 1-901-820-0101

2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS06 Skull and crossbones

Acute Tox. 3 H331 Toxic if inhaled.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

- **Label elements**

- **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms**



GHS06 GHS07

- **Signal word** Danger

- **Hazard-determining components of labeling:**

Phenol, 4,4'-(1-methylethylidene)bis-, polymer with (chloromethyl)oxirane formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol Oxirane, mono[(C12-14-alkyloxy)methyl] derivs.

- **Hazard statements**

H331 Toxic if inhaled.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

- **Precautionary statements**

P264 Wash thoroughly after handling.

P302+P352 If on skin: Wash with plenty of water.

P321 Specific treatment (see on this label).

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P311 Call a poison center/doctor.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

(Contd. on page 2)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/09/2019

Reviewed on 07/30/2019

Trade name: STAUF CCR-630 Part A

(Contd. of page 1)

P362+P364 Take off contaminated clothing and wash it before reuse.
 P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
 P337+P313 If eye irritation persists: Get medical advice/attention.
 P405 Store locked up.
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



Health = 2
 Fire = 1
 Reactivity = 0

- **WHMIS-ratings (scale 0 - 4)**



Health = 2
 Fire = 1
 Reactivity = 0

- **Results of PBT and vPvB assessment**
- *PBT*: Not applicable.
- *vPvB*: Not applicable.

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

- **Dangerous components:**

25068-38-6	Phenol, 4,4'-(1-methylethylidene)bis-, polymer with (chloromethyl)oxirane	50-100%
9003-36-5	formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol	10-25%
68609-97-2	Oxirane, mono[(C12-14-alkyloxy)methyl] derivs.	10-25%

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

- **Description of first aid measures**
- **General information:**
 Immediately remove any clothing soiled by the product.
 Remove breathing apparatus only after contaminated clothing have been completely removed.
 In case of irregular breathing or respiratory arrest provide artificial respiration.
- **After inhalation:**
 Supply fresh air or oxygen; call for doctor.
 In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:**
 Immediately wash with water and soap and rinse thoroughly.
 Immediately rinse with water.
- **After eye contact:**
 Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** Do not induce vomiting; immediately call for medical help.
- **Information for doctor:**
 · *Most important symptoms and effects, both acute and delayed* No further relevant information available.

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/09/2019

Reviewed on 07/30/2019

Trade name: STAUF CCR-630 Part A

(Contd. of page 2)

- *Indication of any immediate medical attention and special treatment needed*
- No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** Mount respiratory protective device.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Ensure adequate ventilation
Wear protective clothing.
- **Environmental precautions:**
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

- **PAC-1:**

25068-38-6	Phenol, 4,4'-(1-methylethylidene)bis-, polymer with (chloromethyl)oxirane	90 mg/m ³
------------	---	----------------------

- **PAC-2:**

25068-38-6	Phenol, 4,4'-(1-methylethylidene)bis-, polymer with (chloromethyl)oxirane	990 mg/m ³
------------	---	-----------------------

- **PAC-3:**

25068-38-6	Phenol, 4,4'-(1-methylethylidene)bis-, polymer with (chloromethyl)oxirane	5,900 mg/m ³
------------	---	-------------------------

7 Handling and storage

- **Handling:**
- **Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Open and handle receptacle with care.
Prevent formation of aerosols.
- **Information about protection against explosions and fires:** Keep respiratory protective device available.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- *Requirements to be met by storerooms and receptacles:* No special requirements.
- *Information about storage in one common storage facility:* Not required.
- *Further information about storage conditions:* Keep receptacle tightly sealed.

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/09/2019

Reviewed on 07/30/2019

Trade name: STAUF CCR-630 Part A

(Contd. of page 3)

- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Store protective clothing separately.
Avoid contact with the eyes.
Avoid contact with the eyes and skin.
- **Breathing equipment:**
Not necessary if room is well-ventilated.
Use suitable respiratory protective device in case of insufficient ventilation.
- **Protection of hands:**



Protective gloves

- **Material of gloves** Strong gloves
- **Eye protection:**



Tightly sealed goggles

- **Body protection:** Protective work clothing

9 Physical and chemical properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**
- **Form:** Fluid
- **Color:** According to product specification
- **Odor:** Characteristic
- **Odor threshold:** Not determined.
- **pH-value:** Not determined.
- **Change in condition**
- **Boiling point/Boiling range:** Undetermined.
- **Flash point:** >93 °C (>199.4 °F)

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/09/2019

Reviewed on 07/30/2019

Trade name: STAUF CCR-630 Part A

(Contd. of page 4)

- **Flammability (solid, gaseous):** Not applicable.
- *Decomposition temperature:* Not determined.
- **Auto igniting:** Product is not selfigniting.
- **Danger of explosion:** Product does not present an explosion hazard.
- **Explosion limits:**
 - Lower:* Not determined.
 - Upper:* Not determined.
- **Vapor pressure:** Not determined.
- **Density at 20 °C (68 °F):** 1.12 g/cm³ (9.3464 lbs/gal)
- *Relative density* Not determined.
- *Vapor density* Not determined.
- *Evaporation rate* Not determined.
- **Solubility in / Miscibility with**
 - Water:* Not determined.
- **Partition coefficient (n-octanol/water):** Not determined.
- **Viscosity:**
 - Dynamic:* Not determined.
 - Kinematic at 20 °C (68 °F):* 570-850 s (DIN 53211/4)
- **Solvent content:**
 - VOC Content:* 0.00 %
 - 0.00 %
- **Other information** No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
 - *Thermal decomposition / conditions to be avoided:* No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· *LD/LC50 values that are relevant for classification:*

25068-38-6 Phenol, 4,4'-(1-methylethylidene)bis-, polymer with (chloromethyl)oxirane

Inhalative	LC50 (static)	1.5 mg/l (Fisch)
------------	---------------	------------------

9003-36-5 formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol

Oral	LD50	>2,000 mg/kg (Ratte)
------	------	----------------------

Dermal	LD50	>5,000 mg/kg (Ratte)
--------	------	----------------------

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/09/2019

Reviewed on 07/30/2019

Trade name: STAUF CCR-630 Part A

(Contd. of page 5)

- *Specific symptoms in biological assay:*

9003-36-5 formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol

Irritation of eyes | Reizwirkung | - (rab)

- *Primary irritant effect:*

- *on the skin:* No irritant effect.

- *on the eye:* Irritating effect.

- *Sensitization:* Sensitization possible through skin contact.

- **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

Toxic

Irritant

- *Carcinogenic categories*

- *IARC (International Agency for Research on Cancer)*

None of the ingredients is listed.

- *NTP (National Toxicology Program)*

None of the ingredients is listed.

- *OSHA-Ca (Occupational Safety & Health Administration)*

None of the ingredients is listed.

12 Ecological information

- **Toxicity**

- **Aquatic toxicity:**

25068-38-6 Phenol, 4,4'-(1-methylethylidene)bis-, polymer with (chloromethyl)oxirane

EC50 11 mg/l (Selenastrum capricornutum) (72h)

1.8 mg/l (Daphnia magna Wasserfloh) (48h)

NOEC 0.3 mg/l (Daphnia magna Wasserfloh) (21 Tg)

9003-36-5 formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol

LC50/ 96h 0.55 mg/l (Fisch)

EC50 1.8 mg/l (Algen- Navicula seminulum) (72h)

1.6 mg/l (Daphnia magna Wasserfloh) (48h)

NOEC 0.3 mg/l (Daphnia magna Wasserfloh)

- **Persistence and degradability** No further relevant information available.

- **Behavior in environmental systems:**

- **Bioaccumulative potential** No further relevant information available.

- **Mobility in soil** No further relevant information available.

- **Additional ecological information:**

- **General notes:**

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/09/2019

Reviewed on 07/30/2019

Trade name: STAUF CCR-630 Part A


(Contd. of page 6)

- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:** If product has aged or solidified conventional means of disposal are acceptable.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

- **UN-Number** UN3077
- **DOT, ADR, IMDG, IATA** UN3077
- **UN proper shipping name** Hazardous waste, solid, n.o.s. (Phenol, 4,4'-(1-methylethylidene)bis-, polymer with (chloromethyl)oxirane, formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol)
- **DOT** Hazardous waste, solid, n.o.s. (Phenol, 4,4'-(1-methylethylidene)bis-, polymer with (chloromethyl)oxirane, formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol)
- **ADR** 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight = 700), formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol)
- **IMDG** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight = 700), formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol), MARINE POLLUTANT
- **IATA** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight = 700), formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol)
- **Transport hazard class(es)**
- **DOT, ADR, IMDG, IATA**
- 
- **Class** 9 Miscellaneous dangerous substances and articles
- **Label** 9
- **Packing group** III
- **DOT, ADR, IMDG, IATA** III
- **Environmental hazards:** Product contains environmentally hazardous substances: Phenol, 4,4'-(1-methylethylidene)bis-, polymer with (chloromethyl)oxirane
- **Marine pollutant:** Yes (DOT)
Symbol (fish and tree)
- **Special marking (ADR):** Symbol (fish and tree)
- **Special marking (IATA):** Symbol (fish and tree)

(Contd. on page 8)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/09/2019

Reviewed on 07/30/2019

Trade name: STAUF CCR-630 Part A

(Contd. of page 7)

- **Special precautions for user**

- *Danger code (Kemler):*

- *EMS Number:*

- *Stowage Category*

- *Stowage Code*

Warning: Miscellaneous dangerous substances and articles

90

F-A,S-F

A

SW23 When transported in BK3 bulk container, see 7.6.2.12 and 7.7.3.9.

- **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

Not applicable.

- **Transport/Additional information:**

- **DOT**

- *Remarks:*

Special marking with the symbol (fish and tree).

- **ADR**

- *Excepted quantities (EQ)*

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

- **IMDG**

- *Limited quantities (LQ)*

- *Excepted quantities (EQ)*

5 kg

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

- **UN "Model Regulation":**

UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (REACTION PRODUCT: BISPHENOL-A-(EPICHLORHYDRIN) EPOXY RESIN (NUMBER AVERAGE MOLECULAR WEIGHT = 700), FORMALDEHYDE, OLIGOMERIC REACTION PRODUCTS WITH 1-CHLORO-2,3-EPOXYPROPANE AND PHENOL), 9, III

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**

- *Sara*

- *Section 355 (extremely hazardous substances):*

None of the ingredient is listed.

- *Section 313 (Specific toxic chemical listings):*

None of the ingredients is listed.

- *TSCA (Toxic Substances Control Act):*

25068-38-6	Phenol, 4,4'-(1-methylethylidene)bis-, polymer with (chloromethyl)oxirane	ACTIVE
9003-36-5	formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol	ACTIVE
68609-97-2	Oxirane, mono[(C12-14-alkyloxy)methyl] derivs.	ACTIVE

- *Hazardous Air Pollutants*

None of the ingredients is listed.

- *Proposition 65*

- *Chemicals known to cause cancer:*

None of the ingredients is listed.

- *Chemicals known to cause reproductive toxicity for females:*

None of the ingredients is listed.

(Contd. on page 9)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/09/2019

Reviewed on 07/30/2019

Trade name: STAUF CCR-630 Part A

(Contd. of page 8)

· *Chemicals known to cause reproductive toxicity for males:*

None of the ingredients is listed.

· *Chemicals known to cause developmental toxicity:*

None of the ingredients is listed.

· *Canadian Ingredient disclosure list*

· *Limit 0,1%*

None of the ingredients is listed.

· *Limit 1%*

None of the ingredients is listed.

· *Carcinogenicity categories*

· *EPA (Environmental Protection Agency)*

None of the ingredients is listed.

· *TLV (Threshold Limit Value established by ACGIH)*

None of the ingredients is listed.

· *MAK (German Maximum Workplace Concentration)*

None of the ingredients is listed.

· *NIOSH-Ca (National Institute for Occupational Safety and Health)*

None of the ingredients is listed.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing SDS:** Technical Department
- **Contact:** Wolfgang Stauf, Phone 901-820-0007, Email wolfgang.stauf@staufusa.com
- **Date of preparation / last revision** 08/09/2019 / -
- **Abbreviations and acronyms:**
 Acute Tox. 3: Acute toxicity – Category 3
 Skin Irrit. 2: Skin corrosion/irritation – Category 2
 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A
 Skin Sens. 1: Skin sensitisation – Category 1

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/09/2019

Reviewed on 07/30/2019

1 Identification

- **Product identifier**
- **Trade name:** STAUF CCR-630 Part B
- **Details of the supplier of the safety data sheet**
- **Distributor:**
STAUF USA, LLC.
835 Herbert Rd
Cordova, TN 38018, USA
Phone 1-901-820-0007
Fax 1-901-820-0101

2 Hazard(s) identification

- **Classification of the substance or mixture**
The product is not classified, according to the Globally Harmonized System (GHS).
- **Label elements**
- **GHS label elements** Void
- *Hazard pictograms* Void
- *Signal word* Void
- *Hazard statements* Void
- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



Health = 0
Fire = 1
Reactivity = 0

- **WHMIS-ratings (scale 0 - 4)**



Health = 0
Fire = 1
Reactivity = 0

- **Results of PBT and vPvB assessment**
- *PBT*: Not applicable.
- *vPvB*: Not applicable.

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

- **Dangerous components:**

79-09-4	propionic acid	2.5-10%
---------	----------------	---------

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

- **Description of first aid measures**
- **General information:** No special measures required.
- **After inhalation:** Supply fresh air; consult doctor in case of complications.
- **After skin contact:** Generally the product does not irritate the skin.

(Contd. on page 2)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/09/2019

Reviewed on 07/30/2019

Trade name: STAUF CCR-630 Part B

(Contd. of page 1)

- **After eye contact:**
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
 - *Most important symptoms and effects, both acute and delayed* No further relevant information available.
 - *Indication of any immediate medical attention and special treatment needed*
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Ensure adequate ventilation
Wear protective clothing.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

· PAC-1:		
79-09-4	propionic acid	15 ppm
· PAC-2:		
79-09-4	propionic acid	28 ppm
· PAC-3:		
79-09-4	propionic acid	170 ppm

7 Handling and storage

- **Handling:**
- **Precautions for safe handling** No special precautions are necessary if used correctly.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
 - *Requirements to be met by storerooms and receptacles:* No special requirements.
 - *Information about storage in one common storage facility:* Not required.
 - *Further information about storage conditions:* None.

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/09/2019

Reviewed on 07/30/2019

Trade name: STAUF CCR-630 Part B

(Contd. of page 2)

- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.

- **Control parameters**

- **Components with limit values that require monitoring at the workplace:**

79-09-4 propionic acid

REL	Short-term value: 45 mg/m ³ , 15 ppm Long-term value: 30 mg/m ³ , 10 ppm
TLV	Long-term value: 30 mg/m ³ , 10 ppm

- **Additional information:** The lists that were valid during the creation were used as basis.

- **Exposure controls**

- **Personal protective equipment:**

- **General protective and hygienic measures:**

The usual precautionary measures for handling chemicals should be followed.
Wash hands before breaks and at the end of work.

- **Breathing equipment:** Not necessary if room is well-ventilated.
- **Protection of hands:** Not required.
- **Material of gloves:** Strong gloves
- **Eye protection:** Goggles recommended during refilling.
- **Body protection:** Protective work clothing

9 Physical and chemical properties

- **Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

Form:	Fluid
Color:	According to product specification
Odor:	Characteristic
Odor threshold:	Not determined.

- **pH-value at 20 °C (68 °F):** 9.5

- **Change in condition**

Boiling point/Boiling range: 141.5 °C (286.7 °F)

- **Flash point:** >100 °C (>212 °F)

- **Flammability (solid, gaseous):** Not applicable.

- **Ignition temperature:** 485 °C (905 °F)

- **Decomposition temperature:** Not determined.

- **Auto igniting:** Product is not selfigniting.

- **Danger of explosion:** Product does not present an explosion hazard.

- **Explosion limits:**

Lower:	Not determined.
Upper:	Not determined.

- **Vapor pressure:** Not determined.

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/09/2019

Reviewed on 07/30/2019

Trade name: STAUF CCR-630 Part B

(Contd. of page 3)

- **Density at 20 °C (68 °F):** 1.04 g/cm³ (8.6788 lbs/gal)
- *Relative density* Not determined.
- *Vapor density* Not determined.
- *Evaporation rate* Not determined.
- **Solubility in / Miscibility with Water:** Not miscible or difficult to mix.
- **Partition coefficient (n-octanol/water):** Not determined.
- **Viscosity:**
 - Dynamic:* Not determined.
 - Kinematic at 20 °C (68 °F):* 200-370 s (DIN 53211/4)
- **Solvent content:**
 - VOC Content:* 0.00 %
 - 0.00 %
- **Other information** No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
 - Thermal decomposition / conditions to be avoided:* No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
 - Primary irritant effect:*
 - on the skin:* No irritant effect.
 - on the eye:* No irritating effect.
 - Sensitization:* No sensitizing effects known.
- **Additional toxicological information:**

The product is not subject to classification according to internally approved calculation methods for preparations:
When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.
- **Carcinogenic categories**

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)
--

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)
--

None of the ingredients is listed.

US

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/09/2019

Reviewed on 07/30/2019

Trade name: STAUF CCR-630 Part B

(Contd. of page 4)

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Water hazard class 1 (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:** Smaller quantities can be disposed of with household waste.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- | | |
|--|-----------------|
| · UN-Number | |
| · DOT, ADR, ADN, IMDG, IATA | Void |
| · UN proper shipping name | |
| · DOT, ADR, ADN, IMDG, IATA | Void |
| · Transport hazard class(es) | |
| · DOT, ADR, ADN, IMDG, IATA | |
| · Class | Void |
| · Packing group | |
| · DOT, ADR, IMDG, IATA | Void |
| · Environmental hazards: | Not applicable. |
| · Special precautions for user | Not applicable. |
| · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable. |
| · UN "Model Regulation": | Void |

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- *Sara*

· **Section 355 (extremely hazardous substances):**

None of the ingredient is listed.

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/09/2019

Reviewed on 07/30/2019

Trade name: STAUF CCR-630 Part B

(Contd. of page 5)

· *Section 313 (Specific toxic chemical listings):*

None of the ingredients is listed.

· *TSCA (Toxic Substances Control Act):*

79-09-4 propionic acid

ACTIVE

· *Hazardous Air Pollutants*

None of the ingredients is listed.

· *Proposition 65*

· *Chemicals known to cause cancer:*

None of the ingredients is listed.

· *Chemicals known to cause reproductive toxicity for females:*

None of the ingredients is listed.

· *Chemicals known to cause reproductive toxicity for males:*

None of the ingredients is listed.

· *Chemicals known to cause developmental toxicity:*

None of the ingredients is listed.

· *Canadian Ingredient disclosure list*

· *Limit 0,1%*

None of the ingredients is listed.

· *Limit 1%*

All ingredients are listed.

· *Carcinogenity categories*

· *EPA (Environmental Protection Agency)*

None of the ingredients is listed.

· *TLV (Threshold Limit Value established by ACGIH)*

None of the ingredients is listed.

· *MAK (German Maximum Workplace Concentration)*

None of the ingredients is listed.

· *NIOSH-Ca (National Institute for Occupational Safety and Health)*

None of the ingredients is listed.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** Technical Department

· **Contact:** Wolfgang Stauf, Phone 901-820-0007, Email wolfgang.stauf@staufusa.com

· **Date of preparation / last revision** 08/09/2019 / -