

1 Identification

- **Product identifier**
- **Trade name:** STAUF ULC-500 Part A
- **Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture** Knife filler/ Surfacer
- **Details of the supplier of the safety data sheet**
- **Manufacturer:**
STAUF Klebstoffwerk GmbH
Oberhausener Strasse 1
57234 Wilnsdorf, Germany
Phone 01149-273-930-1100
Fax 01149-273-930-1200
- **Distributor:**
STAUF USA, LLC.
11121 Hwy 70 Suite 102
Arlington, TN 38002, USA
Phone 1-901-820-0007
Fax 1-901-820-0101
- **Emergency telephone number:** CHEMTREC 1-800-424-9300 (USA) 1-703-527-3887 (International)

2 Hazard(s) identification

- **Classification of the substance or mixture**
The product is not classified according to the Globally Harmonized System (GHS).

- **Label elements**
- **GHS label elements** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



Health = 0
Fire = 1
Reactivity = 0

- **WHMIS-ratings (scale 0 - 4)**



HEALTH 0 Health = 0
FIRE 1 Fire = 1
REACTIVITY 0 Reactivity = 0

- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

(Contd. on page 2)

Printing date 11/10/2014

Reviewed on 11/10/2014

Trade name: STAUF ULC-500 Part A

(Contd. of page 1)

· Dangerous components:

7727-43-7 barium sulphate, natural

50-100%

4 First-aid measures

· Description of first aid measures

- **General information:** No special measures required.
- **After inhalation:** Supply fresh air; consult doctor in case of complications.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:**
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** If symptoms persist consult doctor.
- **Most important symptoms and effects, both acute and delayed**
No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Ensure adequate ventilation
Wear protective clothing.
- **Environmental precautions:**
Do not allow product to reach sewage system or any water course.
Inform respective authorities in case of seepage into water course or sewage system.
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections**
No dangerous substances are released.
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Precautions for safe handling** Avoid contact with the eyes.
- **Information about protection against explosions and fires:** No special measures required.

(Contd. on page 3)

Trade name: STAUF ULC-500 Part A

(Contd. of page 2)

- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
 - *Requirements to be met by storerooms and receptacles:* No special requirements.
 - *Information about storage in one common storage facility:* Not required.
 - *Further information about storage conditions:* None.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

7727-43-7 barium sulphate, natural

PEL	Long-term value: 15* 5** mg/m ³ *total dust **respirable fraction
REL	Long-term value: 10* 5** mg/m ³ *total dust **respirable fraction
TLV	Long-term value: 5* mg/m ³ *inhalable fraction; E

- *Additional information:* The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
 - *General protective and hygienic measures:*
The usual precautionary measures for handling chemicals should be followed.
Wash hands before breaks and at the end of work.
 - *Breathing equipment:* Not necessary if room is well-ventilated.
 - *Protection of hands:* Not required.
 - *Material of gloves*
Butyl rubber, BR
Nitrile rubber, NBR
 - *Eye protection:* Goggles recommended during refilling.
 - *Body protection:* Protective work clothing

9 Physical and chemical properties

- **Information on basic physical and chemical properties**
- **General Information**
- *Appearance:*

Form:	Fluid
Color:	Beige
- *Odor:* Characteristic
- *Odour threshold:* Not determined.
- **pH-value:** Not determined.
- **Change in condition**

Boiling point/Boiling range:	301 °C (574 °F)
------------------------------	-----------------
- **Flash point:** 127 °C (261 °F)
- **Flammability (solid, gaseous):** Not applicable.

(Contd. on page 4)

Trade name: STAUF ULC-500 Part A

(Contd. of page 3)

- **Ignition temperature:** 420 °C (788 °F)
- *Decomposition temperature:* Not determined.
- **Auto igniting:** Product is not selfigniting.
- **Danger of explosion:** Product does not present an explosion hazard.
- **Explosion limits:**
 - Lower:* Not determined.
 - Upper:* Not determined.
- **Vapor pressure at 20 °C (68 °F):** 3 hPa (2 mm Hg)
- **Density at 20 °C (68 °F):** 1.9 g/cm³ (15.856 lbs/gal)
- *Relative density* Not determined.
- *Vapour density* Not determined.
- *Evaporation rate* Not determined.
- **Solubility in / Miscibility with**
 - Water:* Not miscible or difficult to mix.
- **Partition coefficient (n-octanol/water):** Not determined.
- **Viscosity:**
 - Dynamic at 20 °C (68 °F):* 30000 mPas
 - Kinematic:* Not determined.
- **Solvent content:**
 - Organic solvents:* 0.0 %
 - VOC Content:* 0.00 %
- **Other information** No further relevant information available.

10 Stability and reactivity

- **Reactivity**
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
 - *Primary irritant effect:*
 - *on the skin:* No irritant effect.
 - *on the eye:* No irritating effect.
 - *Sensitization:* No sensitizing effects known.
- **Additional toxicological information:**

The product is not subject to classification according to internally approved calculation methods for preparations:

(Contd. on page 5)

Trade name: STAUF ULC-500 Part A

(Contd. of page 4)

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

1318-02-1	Zeolith A3	3
-----------	------------	---

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information

· **Toxicity**

· **Aquatic toxicity:** No further relevant information available.

· **Persistence and degradability** No further relevant information available.

· **Bioaccumulative potential** No further relevant information available.

· **Mobility in soil** No further relevant information available.

· **Additional ecological information:**

· **General notes:**

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **Other adverse effects** No further relevant information available.

13 Disposal considerations

· **Waste treatment methods**

· **Recommendation:** Smaller quantities can be disposed of with household waste.

· **Uncleaned packagings:**

· **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

· **UN-Number**

· **DOT, ADR, ADN, IMDG, IATA** Void

· **UN proper shipping name**

· **DOT, ADR, ADN, IMDG, IATA** Void

· **Transport hazard class(es)**

· **DOT, ADR, ADN, IMDG, IATA**

· **Class** Void

· **Packing group**

· **DOT, ADR, IMDG, IATA** Void

· **Environmental hazards:**

· **Marine pollutant:** No

(Contd. on page 6)

Printing date 11/10/2014

Reviewed on 11/10/2014

Trade name: STAUF ULC-500 Part A

(Contd. of page 5)

- **Special precautions for user** Not applicable.
- **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable.
- **UN "Model Regulation":** -

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· Sara

· Section 355 (extremely hazardous substances):

None of the ingredient is listed.

· Section 313 (Specific toxic chemical listings):

7727-43-7 barium sulphate, natural

· TSCA (Toxic Substances Control Act):

7727-43-7 barium sulphate, natural

8001-79-4 Castor oil

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Canadian Ingredient disclosure list

· Limit 0,1%

None of the ingredients is listed.

· Limit 1%

None of the ingredients is listed.

· Cancerogenity categories

· EPA (Environmental Protection Agency)

7727-43-7 barium sulphate, natural

D, CBD(inh), NL(oral)

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· MAK (German Maximum Workplace Concentration)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

USA

(Contd. on page 7)

Printing date 11/10/2014

Reviewed on 11/10/2014

Trade name: STAUF ULC-500 Part A

(Contd. of page 6)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** Technical Department

· **Contact:**

Dr. Frank Gahlmann +49-(0)2739-301165 gahlmann@stauf.de

Wolfgang Stauf, Phone 901-820-0007, Email wolfgang.stauf@staufusa.com

· *Date of preparation / last revision* 11/10/2014 / 31

· *Abbreviations and acronyms:*

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organization

USA

1 Identification

- **Product identifier**
- **Trade name:** STAUF ULC-500 Part B
- **CAS Number:**
9016-87-9
- **Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture** Hardening agent/ Curing agent
- **Details of the supplier of the safety data sheet**
- **Manufacturer:**
STAUF Klebstoffwerk GmbH
Oberhausener Strasse 1
57234 Wilnsdorf, Germany
Phone 01149-273-930-1100
Fax 01149-273-930-1200
- **Distributor:**
STAUF USA, LLC.
11121 Hwy 70 Suite 102
Arlington, TN 38002, USA
Phone 1-901-820-0007
Fax 1-901-820-0101
- **Emergency telephone number:** CHEMTREC 1-800-424-9300 (USA) 1-703-527-3887 (International)

2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS08 Health hazard

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.



GHS07

Acute Tox. 4 H332 Harmful if inhaled.
 Skin Irrit. 2 H315 Causes skin irritation.
 Eye Irrit. 2 H319 Causes serious eye irritation.
 Skin Sens. 1 H317 May cause an allergic skin reaction.
 STOT SE 3 H335 May cause respiratory irritation.

- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**



Harmful

Harmful by inhalation. Limited evidence of a carcinogenic effect. Harmful: danger of serious damage to health by prolonged exposure through inhalation.



Irritant

Irritating to eyes, respiratory system and skin. May cause sensitization by inhalation and skin contact.

Carc. Cat. 3

- **Information concerning particular hazards for human and environment:** Not applicable.

(Contd. on page 2)

Trade name: STAUF ULC-500 Part B

(Contd. of page 1)

· **Label elements**

· **Labelling according to EU guidelines:**

The product has been classified and marked in accordance with directives on hazardous materials.

· *Code letter and hazard designation of product:*



Carc. Cat. 3
Xn Harmful

· *Risk phrases:*

Harmful by inhalation.

Irritating to eyes, respiratory system and skin.

Limited evidence of a carcinogenic effect.

May cause sensitization by inhalation and skin contact.

Harmful: danger of serious damage to health by prolonged exposure through inhalation.

· *Safety phrases:*

Keep locked up and out of the reach of children.

Do not breathe gas/fumes/vapour/spray.

Avoid contact with skin.

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Wear suitable protective clothing and gloves.

In case of accident or if you feel unwell, seek medical advice immediately.

This material and its container must be disposed of as hazardous waste.

· *Special labeling of certain preparations:*

Contains isocyanates. See information supplied by the manufacturer.

· **Classification system:**

· *NFPA ratings (scale 0 - 4)*



Health = 2
Fire = 1
Reactivity = 0

· *WHMIS-ratings (scale 0 - 4)*



Health = *2
Fire = 1
Reactivity = 0

· *Results of PBT and vPvB assessment*

· *PBT:* Not applicable.

· *vPvB:* Not applicable.

3 Composition/information on ingredients

· **Chemical characterization: Substances**

· **CAS No. Description**

9016-87-9 diphenylmethanediisocyanate, isomeres and homologues

· **Identification number(s)** not available

Trade name: STAUF ULC-500 Part B

(Contd. of page 2)

4 First-aid measures

- **Description of first aid measures**

- **General information:**

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- **After inhalation:**

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

- **After eye contact:**

Rinse opened eye for several minutes under running water. Then consult a doctor.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- **After swallowing:** Do not induce vomiting; immediately call for medical help.

- **Most important symptoms and effects, both acute and delayed**

No further relevant information available.

- **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**

- **Suitable extinguishing agents:**

CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire fighting measures that suit the environment.

- **Special hazards arising from the substance or mixture** No further relevant information available.

- **Advice for firefighters**

- **Protective equipment:**

Mount respiratory protective device.

Wear self-contained respiratory protective device.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Wear protective clothing.

- **Environmental precautions:** No special measures required.

- **Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

- **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- **Precautions for safe handling**

Ensure good ventilation/exhaustion at the workplace.

(Contd. on page 4)

Trade name: STAUF ULC-500 Part B

(Contd. of page 3)

- Prevent formation of aerosols.
- Avoid contact with the eyes.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
 - *Requirements to be met by storerooms and receptacles:* No special requirements.
 - *Information about storage in one common storage facility:* Not required.
 - *Further information about storage conditions:*
 - Protect from frost.
 - Store in dry conditions.
 - Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:** Not required.
- *Additional information:* The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
 - *General protective and hygienic measures:*
 - Keep away from foodstuffs, beverages and feed.
 - Immediately remove all soiled and contaminated clothing.
 - Wash hands before breaks and at the end of work.
 - Avoid contact with the eyes and skin.
 - *Breathing equipment:*
 - Not necessary if room is well-ventilated.
 - Use suitable respiratory protective device in case of insufficient ventilation.
 - *Protection of hands:* Not required.
 - *Material of gloves*
 - Butyl rubber, BR
 - The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
 - *Eye protection:*



Tightly sealed goggles

- *Body protection:* Protective work clothing

9 Physical and chemical properties

- **Information on basic physical and chemical properties**
- **General Information**
- *Appearance:*

Form:	Fluid
Color:	Brown
Odor:	Weak, characteristic
Odour threshold:	Not determined.

(Contd. on page 5)

Trade name: STAUF ULC-500 Part B

(Contd. of page 4)

- **pH-value:** Not determined.
- **Change in condition**
 - Boiling point/Boiling range:* Undetermined.
 - Setting temperature / range:* 0 °C (32 °F)
- **Flash point:** 201 °C (394 °F)
- **Flammability (solid, gaseous):** Not applicable.
- **Ignition temperature:** 400 °C (752 °F)
- *Decomposition temperature:* > 260 °C (> 500 °F)
- **Auto igniting:** Not determined.
- **Danger of explosion:** Product does not present an explosion hazard.
- **Explosion limits:**
 - Lower:* Not determined.
 - Upper:* Not determined.
- **Vapor pressure at 20 °C (68 °F):** 11 hPa (8 mm Hg)
- **Density at 20 °C (68 °F):** 1.22 g/cm³ (10.181 lbs/gal)
- *Relative density* Not determined.
- *Vapour density* Not determined.
- *Evaporation rate* Not determined.
- **Solubility in / Miscibility with**
 - Water:* Not miscible or difficult to mix.
- **Partition coefficient (n-octanol/water):** Not determined.
- **Viscosity:**
 - Dynamic at 20 °C (68 °F):* 90 mPas
 - Kinematic:* Not determined.
- **Solvent content:**
 - Organic solvents:* 0.0 %
 - VOC Content:* 0.00 %
- **Other information** No further relevant information available.

10 Stability and reactivity

- **Reactivity**
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions**
 - Reacts with water.
 - Exothermic reaction with amines and alcohols; reacts with water forming CO₂; in closed containers, risk of bursting owing to increase of pressure.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

USA

(Contd. on page 6)

Trade name: STAUF ULC-500 Part B

(Contd. of page 5)

11 Toxicological information

- **Information on toxicological effects**

- **Acute toxicity:**

- *LD/LC50 values that are relevant for classification:*

9016-87-9 diphenylmethanediisocyanate, isomeres and homologues

Oral	LD50	> 2000 mg/kg (Ratte)
Dermal	LD50	> 9400 mg/kg (rab) (OECD- Prüfrichtlinie 402)
Inhalative	LC50/48 h	490 mg/l (Ratte) (als Aerosol, Exposition)

- *Primary irritant effect:*

- *on the skin:* Irritant to skin and mucous membranes.
- *on the eye:* Irritating effect.

- *Sensitization:*

Sensitization possible through inhalation.
Sensitization possible through skin contact.

- **Additional toxicological information:**

- *Carcinogenic categories*

- *IARC (International Agency for Research on Cancer)*

9016-87-9	diphenylmethanediisocyanate, isomeres and homologues	3
-----------	--	---

- *NTP (National Toxicology Program)*

Substance is not listed.

- *OSHA-Ca (Occupational Safety & Health Administration)*

Substance is not listed.

12 Ecological information

- **Toxicity**

- **Aquatic toxicity:**

9016-87-9 diphenylmethanediisocyanate, isomeres and homologues

EC50	>1000 mg/l (Daphnia magna Wasserfloh) (OECD-Prüfrichtlinie 202)
LC0	>1000 mg/l (Fisch) (96h)

- **Persistence and degradability** No further relevant information available.

- **Bioaccumulative potential** No further relevant information available.

- **Mobility in soil** No further relevant information available.

- **Additional ecological information:**

- *General notes:* Not known to be hazardous to water.

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**

- **Recommendation:**

Contact waste processors for recycling information.

(Contd. on page 7)

Printing date 11/10/2014

Reviewed on 11/10/2014

Trade name: STAUF ULC-500 Part B

(Contd. of page 7)

- *Limit 1%*

Substance is not listed.

- *Cancerogenity categories*

- *EPA (Environmental Protection Agency)*

9016-87-9 diphenylmethanediisocyanate, isomeres and homologues

CBD

- *TLV (Threshold Limit Value established by ACGIH)*

Substance is not listed.

- *MAK (German Maximum Workplace Concentration)*

9016-87-9 diphenylmethanediisocyanate, isomeres and homologues

4

- *NIOSH-Ca (National Institute for Occupational Safety and Health)*

Substance is not listed.

- **Product related hazard informations:**

- *Hazard symbols:*

The product has been classified and marked in accordance with directives on hazardous materials.

- *Safety phrases:* Keep out of the reach of children.

- **National regulations:**

- *Technical instructions (air):*

Class	Share in %
I	50-100

- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing SDS:** Technical Department

- **Contact:**

Dr. Frank Gahlmann +49-(0)2739-301165 gahlmann@stauf.de

Wolfgang Stauf, Phone 901-820-0007, Email wolfgang.stauf@staufusa.com

- *Date of preparation / last revision* 11/10/2014 / 19

- *Abbreviations and acronyms:*

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organization

Acute Tox. 4: Acute toxicity, Hazard Category 4

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

Resp. Sens. 1: Sensitisation - Respirat., Hazard Category 1

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3